

WORLD METEOROLOGICAL ORGANIZATION

INTERGOVERNMENTAL OCEANOGRAPHIC  
COMMISSION (OF UNESCO)

---

JOINT WMO/IOC TECHNICAL COMMISSION FOR  
OCEANOGRAPHY AND MARINE METEOROLOGY (JCOMM)  
SHIP OBSERVATIONS TEAM

---

SOT-IV/Doc. I-6.2.2  
(15.II.2007)

FOURTH SESSION

---

ITEM I-6.2.2

GENEVA, SWITZERLAND, 16 TO 21 APRIL 2007

Original: ENGLISH

## **PROGRAMME OPERATIONS AND DEVELOPMENT**

### **Coding issues: BUFR Templates for VOS/VOSClm, XBT/XCTD, META-T**

*(Submitted by the Secretariats)*

---

#### **Summary and purpose of document**

This document summarizes the issues regarding GTS table driven coding requirements for ship-based observations.

---

#### **ACTION PROPOSED**

The Ship Observations Team is invited to:

- (a) integrate the different coding activities under the SOT and update the Terms of References and membership for its Task Team accordingly;
- (b) discuss whether there is a need to revise, supersede, and/or integrate existing VOS templates;
- (c) make specific recommendations regarding GTS distribution of high resolution ASAP data in BUFR;
- (d) make specific recommendations regarding GTS distribution of XBT/XCTD data in BUFR;
- (e) make specific recommendations regarding GTS distribution of ADCP data in BUFR;
- (f) make specific recommendations regarding GTS distribution of TRACKOB data in BUFR;
- (g) discuss requirements for other ship-based observations templates;
- (h) make specific recommendation regarding transition to table driven codes for VOS data;

---

**Appendices:** A. Terms of References of the SOT Task Team on Coding  
B. Terms of References of the JCOMM DMPA Task Team on Table Driven Codes

- C. PMO-III RECOMMENDATIONS ON MIGRATION FROM SHIP TO BUFR
- D. Code Migration Schedule
- E. List of proposed fields for inclusion in a new BUFR template for VOS data
- F. BUFR template for synoptic reports from sea stations suitable for VOS observation data (B/C10 –Reporting SHIP data in TDCF)
- G. BUFR Template for VOS data
- H. BUFR Template for ASAP data (B/C25 – Reporting TEMP, TEMP SHIP and TEMP MOBIL data in TDCF)
- I. BUFR template for XBT/XCTD report (sequence 3 15 004)
- J. BUFR Template for TRACKOB data (Approved by CBS Ext. 6)
- K. B/C32 –Reporting CLIMAT SHIP data in TDCF
- L. B/C35 – Reporting CLIMAT TEMP and CLIMAT TEMP SHIP and data in TDCF

## DISCUSSION

### 1 Ship Observations Team (SOT) requirements

#### 1.1 VOS

1.1.1 The third SOT meeting (SOT-III), Brest, 7-12 March 2005 discussed GODAE High Resolution SST Pilot Project (GHRSSST) requirements for GTS distribution of SST data and decided to establish a Task Team on Coding chaired by Dr Craig Donlon to address this issue. The members and TOR of the Task Team are in Appendix A.

1.1.2 The task team has then been working via email and submitted a proposal to the CBS Expert Team on Data Representation and Codes (ET/DRC) for its meeting in Montreal, Canada, 8-12 May 2006. The Task Team proposed additions for SST temperature type/method of measurement as well as the depth of measurement below the sea surface. As the VOS SHIP template was still being considered for other requirements (PMO-III recommendations, META-T), it was not proposed to substantially change it at the time of the ET/DRC meeting. Only the following modifications related to (i) B/C10 – Regulations for reporting SHIP data in TDCF – and (ii) to the BUFR template for synoptic reports from sea stations suitable for VOS observation data have been proposed as pre-operational (Appendix F):

- New entries in code table 0 02 038 “Method of water temperature and/or salinity measurement” to deal with additional methods such as infrared radiometer, in line thermosalinograph, and towed body;
- New descriptor 0 07 063 Depth below sea water surface (High resolution) to provide for higher resolution of depth (scale=2, i.e. 1cm);
- Change sequence 3 02 056 for adding descriptor 0 07 063 for indicating water temperature depth. So the sequence 3 02 056 (comprised of 0 02 038 “Method of sea surface temperature measurement” and 0 22 043 “Sea/water temperature”) in the templates was replaced by the new one.

1.1.3 It must be noted that there are now three different templates (existing or proposals) for VOS data:

- B/C10, Regulations for reporting SHIP data in TDCF (Appendix F). This is basically a translation of FM-13 SHIP data into BUFR.
- BUFR Template for VOS data (Appendix G). This is the result of past discussions between the ET/DRC, the SOT, and various experts regarding the requirement for GTS distribution of VOS data. Specific requirements such as the need to report sensor height have been added.
- PMO-III list of required fields for the VOS and VOSclim (Appendix C). See below for details.

1.1.4 The SOT might consider how many templates will eventually be needed bearing in mind that this number should be kept to a minimum. One or two templates/list might be merged or integrated in a new template that would supersede them.

#### 1.2 SOOPIP

1.2.1 The existing BUFR template for XBT and XCTD data is listed in Appendix I. SOT-III agreed that this template met most of the current requirements for GTS distribution of such data. SEAS, USA is now evaluating development costs for starting GTS distribution of XBT data in BUFR using the existing template. The SOT Technical Coordinator and SEAS will report on progress at SOT-IV. The SOT will be invited to make further recommendations in that regard.

1.2.2 Regarding ADCP data, SOT-III invited Member States presently making ADCP measurements and having the capability and willingness of transmitting the data in real time on the GTS to work with the SOT in order to study feasibility of using BUFR. The meeting therefore asked such Members States to designate appropriate contact points to work with the SOOP Coordinator in order to

work on potential impact of developing BUFR encoding/distribution capability and to work out a proposed BUFR template for ADCP data. Once a template is agreed upon, the meeting invited the SOOP Coordinator to submit proposed template to the ET/DRC. This will have to be coordinated with the META-T Pilot Project in liaison with the newly established JCOMM/DMCG Table Driven Codes group.

### **1.3 ASAP**

1.3.1 SOT-III noted that high-resolution ASAP sounding data were required for new modeling. The meeting also noted that such high resolution data could be collected using BUFR codes, be archived in relevant national archives and be made available on their web sites after each cruise. The meeting suggested that the E-ASAP store high-resolution data, if appropriate and possible.

1.3.2 E-ASAP explained recently that BUFR capability still needed to be developed. Data telecommunication costs associated with the distribution of higher resolution data remains an issue.

1.3.3 The SOT will be invited to discuss whether there will be a need to revise existing ASAP template (Appendix H).

### **1.4 GOSUD**

1.4.1 SOT-III noted that GOSUD was developing a BUFR template to move beyond limitations imposed by the present character code form TRACKOB in order to consider new requirements such as for pCO<sub>2</sub> and those expressed by SAMOS. GOSUD will be invited to report on progress.

1.4.2 At its meeting in Muscat, Oman, from 5 to 8 December 2005, the ET/DRC approved for validation the TRACKOB template and sequence that had been proposed by the Japan Meteorological Agency (JMA). The descriptors are listed in the Appendix J. After the meeting, a validation test for these table D descriptors has been carried out by the European Centre for Medium-range Weather Forecast (ECMWF) and JMA with sample BUFR data produced by JMA. Result of the test shows no problem was found in those descriptors.

### **1.5 GTSP**

1.5.1 SOT-III agreed that the addition of the GTSP unique tag in BUFR tables and templates will be required and asked the SOT Technical Coordinator to pursue this issue. This has not been done so far. It is proposed that the SOT Task Team on Codes and the META-T addressed the issue in liaison with the newly established JCOMM/DMPA Table Driven Codes group.

### **1.6 SeaKeepers**

It has been proposed to use the BUFR Master Table 101 (MT10) as a Pilot Project for the real-time distribution of ship data produced by SeaKeepers while taking GHRSSST-PP requirements into account. The DMCG-II suggested that the new DMCG Table Driven Codes group be responsible for regularly reviewing and updating BUFR Master Table 10 for oceanographic data.

## **2 Third International PMO workshop recommendations**

2.1 The third International Workshop of Port Meteorological Officers (PMO-III), Hamburg, 23-24 March 2006, discussed migration to table driven code forms for VOS and VOSClim observations. It made recommendations and established a small group to review the data and metadata elements that would be required in a VOS (including VOSClim) BUFR template and to develop a draft template to be submitted for endorsement by SOT-IV (Appendix C).

2.2 The group eventually agreed on a draft "template" (i.e. list of required field) which is provided

---

<sup>1</sup> MT10 is a distinct set of BUFR tables for oceanographic data (MT0 contains the usual meteorological tables) that had been defined a few years ago and is now being reviewed to comply with the rules proposed by the CBS ET/DRC for establishing and maintaining separate Master Tables.

in Appendix E.

### **3 Expert Team on Marine Climatology**

3.1 For reference, ETMC-I (Gdynia, Poland, 7-10 July 2004) made a limited review of marine BUFR data (<http://icoads.noaa.gov/etmc/etmc1/doc3.2.pdf>) based on comparisons of BUFR data from NOAA's National Centers for Environmental Prediction (NCEP) with originally reported ship (FM-13) and buoy (FM-18) data. Following are selected general findings from that review:

- Among the (limited) set of elements compared, data problems or omissions still existed in NCEP's version of BUFR. Generally, however, the problems appeared to be confined to secondary elements such as clouds and waves, or special codes mixed with data that otherwise were translated properly to BUFR (e.g., the code 99 for variable wind direction in FM 13, which at least at that time was not represented in the BUFR ship template).
- In addition to data improperly or incompletely converted, fields could be completely absent in BUFR that were present in the original GTS data. The comparisons were limited in scope, concentrating on the most widely used and often reported elements. Not all FM-13 and FM-18 elements were checked for their presence and accuracy as represented in BUFR.
- Retention by NCEP of the original GTS message strings was felt to be critically, and was recommended for consideration for inclusion in the BUFR template, because it permits effective, automated verifications of the translations made into BUFR by NMCs from the original data.
- For example, differences were known to exist between the BUFR data produced by NCEP, the UK Met Office, and the US Navy (FNMOC). Among these NMCs it appeared that only NCEP attached (or otherwise archived) the original message strings.
- Even if the BUFR template was able to prescribe a complete set of field-by-field mappings of FM 13 and FM 18 into BUFR (which it does not appear to have achieved yet), differences likely would arise between versions of BUFR produced at different NMCs due to differences (or inadvertent errors), in the event that the handling of a given field is not 100% specified (as for instance in the case of variable wind direction).

3.2 In addition to a possible participation of the ETMC in the development and continuing review of the VOS and possibly other marine and oceanographic template(s), the ETMC might be willing to investigate further development of the following templates:

- B/C35 – Reporting CLIMAT TEMP and CLIMAT TEMP SHIP and data in TDCF (Appendix L)
- B/C32 –Reporting CLIMAT SHIP data in TDCF (Appendix K)

### **4 Water Temperature Metadata Pilot Project (META-T)**

4.1 The META-T Pilot Project is currently defining the instrumental metadata required for GTS distribution in real time as far as water temperature and SST measurements are concerned. The exercise is considering a number of requirements, including (i) SST analysis and GODAE High Resolution SST Pilot Project (GHRSSST), (ii) data assimilation and ocean field analysis; (iii) ocean modeling; (iv) ocean modeling validation; (v) climate forecasting; (vi) seasonal to decadal climate variability; (vii) numerical weather prediction; (viii) satellite calibration; (ix) satellite validation; (x) operational activities (e.g. weather forecasters, disaster response) (xi) quality assurance activities serving above applications, and (xii) diagnostics for platform operators.

4.2 Metadata from ship-based observing systems (among other marine and oceanographic data) falls within the remit of this project, including those under the VOS, the VOSclim, and the SOOP.

4.3 Progress will be reported at SOT-IV by the META-T Pilot Project. META-T requirements will have to be considered and merged into existing ship-based observations BUFR templates or into the new ones being defined.

## 5 Recommendations from the Data Management Coordination Group (DMCG)

5.1 At its second Session, Geneva, 10-12 October 2006, the DMCG noted that Groups and Panels under the JCOMM are increasingly requiring additions or changes to the WMO Code Tables, and, in particular, to the BUFR and CREX Tables, and to the BUFR templates. Some of the requirements relate to more than one Panel (e.g., META-T, Tsunami monitoring, GHRSSST and ADCP). Additionally, the provision of the same variable or metadata from different types of platforms or instruments requires introducing some level of consistency between the different BUFR templates proposed (e.g., Consistency between templates Expendable Bathythermograph (XBT) / Expandable Conductivity, Temperature and Depth profiling system (XCTD) and Argo templates, consistency between the VOS and TRACKOB (Report of marine surface observation along a ship's track, FM 62–VIII Ext. TRACKOB), consistency between all ship templates with regards to metadata and consistency between all templates providing SST and/or Temperature profile data as far as metadata are concerned (META-T). In other cases, one Panel might have to deal with different coding requirements. For example, the JCOMM Ship Observations Team (SOT) was considering a large number of coding requirements, and has established a Task Team on coding to deal with GHRSSST-PP requirements, as well as an *ad-hoc* SOT Task Team on BUFR for the VOS and the VOSclim, which was established by PMO-III. The SOT is currently interacting with the META-T Pilot Project considering metadata encoding requirements. The DMCG noted that the SOT intended to further review all these requirements and proposals at its next meeting in April 2007.

5.2 A summary of JCOMM table driven coding requirements are listed in the table below:

Requirement	Panels	Code	Status
Real time distribution of Tsunami monitoring stations and buoys	GLOSS, DBCP	CREX	Considered by ET/DRC, May 2006 Requirements still unclear
GODAE High Resolution SST Pilot Project and requirements for SST type/method of measurement and depth	GHRSSST-PP, SOT	BUFR	Considered by ET/DRC, May 2006
VOSclim requirements (quality information flags as well as metadata)	SOT	BUFR	Under study by SOT
VOS data	SOT	BUFR	Considered at PMO-3-INT, list has been proposed
ASAP data	SOT	BUFR	Existing template
XBT and XCTD data	SOT	BUFR	To be defined
ADCP data	SOT, DBCP	BUFR	To be defined
GOSUD (TSG data distributed in TRACKOB)	GOSUD SOT	BUFR	To be defined
Seakeepers ship data	SOT	BUFR, MT10	To be defined
META-T requirements for real time distribution of metadata along with the observation (i.e. category 1 metadata)	META-T, DBCP, SOT, etc.	BUFR	To be defined
Buoy directional and non directional wave data	DBCP	BUFR	Considered by ET/DRC, Dec 2005, needs validation
GTSP and water temperature profile data, including Argo profiling float data	GTSP Argo DMT	BUFR	Considered by ET/DRC, Dec 2005, validated
NWP and requirements for upper air profiles	SOT	BUFR	To be clarified

	(ASAPP)		
Marine Climatology	ETMC	BUFR	To be considered by ETMC-II

5.3 All the above-mentioned requirements need to be relayed to the Commission for Basic Systems (CBS) Expert Team on Data Representation and Codes (ET-DRC) for adoption (see the Codes migration schedule as adopted at CBS Ext. 06 in Appendix D). Each Panel is presently submitting its requirements separately. Considering the diversity of the requirements, the number of groups involved, and cross-cutting issues, DMCG-II agreed that it would be more efficient if there was a group within the JCOMM DMPA responsible for collecting all JCOMM-related coding requirements, for compiling them in a consolidated JCOMM proposal and for submitting them to the CBS Expert Team. A representative from the group could also attend the CBS ET-DRC Meeting on behalf of the JCOMM. The DMCG-II therefore established a Table Driven Codes Group. Its Terms of References and Membership is given in Appendix B.

5.4 A strategic plan for JCOMM Data Management is nearing completion. Draft recommendations related to the migration to table driven codes include the following:

Recommendation 4.2a: DMPA lead the development of the detailed plan to change GTS data reporting from TACs to TDCs.

Recommendation 4.2b: The DMPA in association with the appropriate WMO committee should evaluate MT10 for its relevance to present needs.

Recommendation 4.2c: Enhanced interaction between JCOMM and CBS or other appropriate WMO committees is needed to expand the scope of TDCs to more fully incorporate JCOMM considerations, including software reliability, human readability, and the archival and exchange of historical and delayed-mode data in its originally reported form.

Recommendation 4.3.3b: JCOMM work with partners to encourage the continuing evolution of exchange formats to more robust forms, while at the same time assuring that sufficient flexibility and agility can be preserved for the archival of JCOMM's delayed mode data and metadata.

## 6 The way forward for ship-based observations

6.1 The JCOMM Ship Observations Team (SOT) is working on this issue and is presently considering a large number of requirements. It is not yet in a position to make a comprehensive proposal at this meeting because:

- (i) working groups such as the SOT Task Team on Coding (of SST), the ad-hoc SOT Task Team on BUFR for VOS/VOSclim established at the Third International Port Meteorological Officers Conference (Hamburg, 23-24 March 2006), and the recently established water temperature metadata (META-T) Pilot Project, need to provide the SOT with their conclusions or recommendations before the SOT-IV, and
- (ii) approval from the 4<sup>th</sup> SOT meeting in early 2007 will be required before any proposal can be made to the ET/DRC, Darmstadt, Germany, 23-27 April 2007.

6.2 Proposals for new SHIP (VOS and VOSclim), XBT/XCTD, and TRACKOB templates are being defined and will eventually be proposed. The SOT is invited to consider how the ASAP and ADCP templates need to be addressed. The SOT will be invited to review the requirements expressed by ETMC-II. The following requirements are being considered:

- Requirements for the GODAE High Resolution SST Pilot Project (GHRSSST).
- VOSclim requirements (metadata and quality information flags)
- META-T Pilot Project (metadata of category 1 required for real-time exchange)
- XBT/XCTD requirements
- GTSP, SOOPIP, TIP, and Argo requirements: Consistency between templates XBT/XCTD

and Argo templates (both providing sub-surface temperature profiles)

- GOSUD requirements: Consistency between VOS and TRACKOB
  - Consistency between all ship templates as far as metadata
  - Requirements for high resolution upper air soundings (ASAP)
  - Requirements for ocean current profiles (ADCP)
  - Requirements for marine climatology (ETMC-II recommendations)
  - Requirements for Seakeepers
- 

Appendices: 12

## **Appendix A**

### **Terms of References of the SOT Task Team on Coding**

#### Tasks:

1. Develop a draft new code table for BUFR, which accommodates new types of SST measurements.
2. Submit the draft proposal to a relevant body of the CBS.
3. Investigate possible future inclusion of bio-chemical data in BUFR through various interactions with other ship-based observation communities.
4. Report to SOT-IV.

#### Members:

Craig Donlon (TT chairperson, United Kingdom)  
Graeme Ball (Australia)  
Etienne Charpentier (JCOMMOPS)  
Bob Keeley (Canada)  
Loïc Petit de la Villéon (France)

---

**APPENDIX B**

**TERMS OF REFERENCE (TOR) OF THE  
JCOMM DMPA TASK TEAM ON TABLE DRIVEN CODE FORMS**

**Objectives:**

- (i) collect and compile requirements from the JCOMM Panels and Expert Teams and submit them to the CBS Expert Team on Data Representation and Codes (ET-DRC) (one Member of the Group to attend the ET-DRC Meetings);
- (ii) to make BUFR Master Table 10 (MT10) compliant with the WMO Rules;
- (iii) defining a mechanism for updating and maintaining the MT10 on behalf of the JCOMM in compliance with rules defined by the CBS ET-DRC. Coastal variables and bio-chemical data will have to be included;
- (iv) look at templates and suggest how to standardize content.

**Current Membership:**

Bob Keeley (TT Chairperson), (a metadata expert designated by the NMDIS), Mr Etienne Charpentier (WMO Secretariat), Ms Hester Viola (Technical Coordinator of the SOT), an expert designated by David Thomas, an IODE expert designated by Leslie Rickards, Scott Woodruff (Chairperson, ET-MC), and an E2EDM expert designated by Nick Mikhailov.

---

## **APPENDIX C**

### **PMO-III RECOMMENDATIONS ON MIGRATION FROM SHIP TO BUFR**

- 1) Frits Koek and Sarah North undertook to review the required data and metadata elements that would be required in a VOS (including VOSclim) BUFR template. The resultant list would then be submitted to a new informal ad hoc SOT task team on VOS migration to BUFR (Frits Koek, Sarah North, Pierre Blouch, Graeme Ball, Julie Fletcher, Etienne Charpentier) by 1 June 2006. Comments submitted by the team by 1 July 2006.
- 2) WMO will liaise with CBS ET/DRC and ET/MTDCF and advise that the SOT is working on revisiting the list of elements for inclusion in the VOS BUFR template for ship data and is seeking ET/DRC help.
- 3) The SOT and ET/DRC will liaise to develop a draft BUFR template suitable for VOS and VOSclim, which will be submitted for endorsement by SOT-IV.

The meeting considered possible implementation scenarios as follows:

- (i) Phase 1, target 2007: Member countries to work on software that converts SHIP to BUFR (1 to 1 conversion) and implement it on a case-by-case basis.
  - (ii) Phase 2, target 2006 to SOT-IV: analyze requirements and consider possible solutions (e.g. (proprietary format + metadata) to BUFR, or ("SOT" format + metadata) to BUFR. "SOT" format is a format inspired on FM-13 SHIP format and should be regarded as proprietary; it is not intended for direct GTS distribution but as a practical way of using existing software slightly modified to achieve BUFR distribution of the data on the GTS.
  - (iii) Phase 3, target 2008: Implementation of proposed recommendations.
  - (iv) Phase 4, target 2012: Operational system in place.
-

**APPENDIX D**  
**CODE MIGRATION SCHEDULE**

<i>Category</i> →	<b>Cat. 1: common</b>	<b>Cat. 2: satellite observations</b>	<b>Cat. 3: aviation<sup>(1)</sup></b>	<b>Cat. 4: maritime</b>	<b>Cat. 5<sup>(2)</sup>: miscellaneous</b>	<b>Cat. 6<sup>(2)</sup>: almost obsolete</b>
<i>Lists of → Traditional code forms</i>	SYNOP SYNOP MOBIL PILOT PILOT MOBIL TEMP TEMP MOBIL TEMP DROP CLIMAT CLIMAT TEMP	SAREP SATEM SARAD SATOB	METAR SPECI TAF AMDAR ROFOR	BUOY TRACKOB BATHY TESAC WAVEOB SHIP CLIMAT SHIP PILOT SHIP TEMP SHIP CLIMAT TEMP SHIP	RADOB IAC IAC FLEET GRID (to GRIB) RADOF	CODAR ICEAN GRAF NACLI etc. SFAZI SFLOC SFAZU RADREP ROCOB ROCOB SHIP ARFOR WINTEM MAFOR HYDRA HYFOR
<i>Schedule ↓</i>						
<b>Start experimental Exchange<sup>(3)</sup></b>	<b>Nov. 2002</b> for some data (AWS SYNOP, TEMP USA)	Current at some Centres	<b>2006</b>  <b>2002</b> at some Centres for AMDAR	<b>2005</b>  <b>2003</b> for Argos data (BUOY, sub-surface floats, XBT/XCTD)	<b>2004</b>	Not applicable
<b>Start operational exchange<sup>(3)</sup></b>	<b>Nov. 2005</b>	Current at some Centres	<b>2008</b>  <b>2003</b> for AMDAR	<b>2007</b>  <b>2003</b> for Argos data (BUOY, sub-surface floats, XBT/XCTD)	<b>2006</b>	Not applicable
<b>Migration complete</b>	<b>Nov. 2010</b>	<b>Nov. 2006</b>	<b>2016</b>  <b>2005</b> for AMDAR	<b>2012</b>  <b>2008</b> for Argos data (BUOY, sub-surface floats, XBT/XCTD)	<b>2008</b>	Not applicable

## Notes:

- (1) Aviation Codes require ICAO coordination and approval, except for AMDAR
  - (2) For category 5 consider that codes need to be reviewed in order to decide whether or not they should be migrated to BUFR/CREX. Codes in category 6 are not to be migrated.
  - (3) All dates above are meant as "not later than". However, Members and Organizations are encouraged to start experimental exchange, and, if all relevant conditions (see below) are satisfied, to start operational exchange as soon as possible.
- Start of experimental exchange: data will be made available in BUFR (CREX) but not operationally, i.e. in addition to the current alphanumeric codes, which are still operational.
  - Start of operational exchange: data will be made available in BUFR (CREX) whereby some (but not all) Members rely on them operationally. Still the current alphanumeric codes will be distributed (parallel distribution).
  - Migration complete: at this date the BUFR (CREX) exchange becomes the standard WMO practice. Parallel distribution is terminated. For archiving purposes and at places where BUFR (CREX) exchange still causes problems the alphanumeric codes may be used on a local basis only.

*Relevant conditions to be satisfied before experimental exchange may start:*

- Corresponding BUFR/CREX-tables and templates are available;
- Training of concerned testing parties has been completed;
- Required software of testing parties (encoding, decoding, viewing) is implemented;

*Relevant conditions to be satisfied before operational exchange may start:*

- Corresponding BUFR/CREX-tables and templates are fully validated;
- Training of all concerned parties has been completed;
- All required software (encoding, decoding, viewing) is operational.

**APPENDIX E****LIST OF PROPOSED FIELDS FOR INCLUSION IN A NEW BUFR TEMPLATE FOR VOS DATA**

<b>Element</b>	<b>Code</b>	<b>WMO code table</b>	<b>Units</b>	<b>Scale</b>	<b>Remarks</b>
1 Identifier for a ship report (BBXX)	MiMiMjMj	2582			
2 Ships call sign	D....D				
3 WMO Regional Association	A <sub>1</sub>	0161			
4 Subdivision of the WMO Regional Association	b <sub>w</sub>	0161			
5 Type and Serial number of bouy or platform	n <sub>b</sub> n <sub>b</sub> n <sub>b</sub>			0	
6 Day of the month	YY		Day	0	
7 Time of observation to the nearest hour UTC	GG		Hour	0	
8 Time of observation to the nearest minutes UTC	gg		Minute	0	
9 Wind speed indicator	i <sub>w</sub>	1855			
10 Latitude in degrees and tenths	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>		Degree	1	
11 Longitude in degrees and tenths, hundreds included	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>		Degree	1	
12 Precipitation data indicator	i <sub>R</sub>	1819			
13 Type of station and present and past weather indicator	i <sub>x</sub>	1860			
14 Height above sea of the base of the lowest cloud seen	h	1600			
15 Horizontal visibility at surface	VV	4377			
16 Total amount of cloud	N	2700			
17 True direction from which the surface wind is blowing	dd	0877	Degrees true	-1	
18 Surface Wind speed	ff		from iw	0	
19 Wind speed, when speed >= 99	00fff		from iw	0	
20 Sign of air temperature	S <sub>n</sub>	3845			
21 Air temperature	TTT		C	1	
22 Sign of dew point temperature	S <sub>n</sub>	3845			
23 Dew point temperature	T <sub>d</sub> T <sub>d</sub> T <sub>d</sub>		C	1	

SOT-IV/Doc. I-6.2.2, Appendix E, p. 14

24	Relative humidity of the air, in per cent, the first figure being zero UUU except for UUU = 100 per cent			%	0
25	Sea level pressure	PPPP		Pa	1
26	Characteristic of the pressure tendency during the three hours preceding the time of the observation	a	0200		
27	Amount of pressure tendency at station level during the three hours preceding the time of observation	ppp		Pa	1
28	Amount of precipitation which has fallen during the period preceding the time of observation, as indicated by $t_R$	RRR	3590		
29	Duration of period of reference for amount of precipitation, ending at the time of the report	$t_R$	4019		
30	Present weather	ww	4677		
31	Past weather (primary type)	$W_1$	4561		
32	Past weather (secondary type)	$W_2$	4561		
33	Present weather reported from an automatic weather station	$w_a w_a$	4680		
34	Past weather reported from an automatic weather station (primary type)	$W_{a1}$	4531		
35	Past weather reported from an automatic weather station (secondary type)	$W_{a2}$	4531		
36	Amount of all the $C_L$ cloud present or, if no $C_L$ cloud is present, the amount of all the $C_M$ cloud present	$N_h$	2700		
37	Clouds of types Stratocumulus, Stratus, Cumulus and Cumulonimbus	$C_L$	0513		
38	Clouds of types Altocumulus, Altostratus, and Nimbostratus	$C_M$	0515		
39	Clouds of types Cirrus, Cirrocumulus, and Cirrostratus	$C_H$	0509		
40	Ships course (true) made good during the three hours preceding the time of the observation	$D_s$	0700		
41	Ships average speed made good during the three hours preceding the time of the observation	$V_s$	4451		
42	Sign and type of sea temperature	$S_s$	3850		
43	Sea surface temperature	$T_w T_w T_w$		C	1
44	Period of waves, obtained by instrumental methods	$P_{wa} P_{wa}$		s	0
45	Height of waves, obtained by instrumental methods	$H_{wa} H_{wa}$		m	log(2)
46	Period of the wind waves	$P_w P_w$		s	0

SOT-IV/Doc. I-6.2.2, Appendix E, p. 15

47	Height of the wind waves	$H_w H_w$		m	log(2)
48	Direction (true) from which the predominant/first swell waves are coming	$d_{w1} d_{w1}$	0877	degrees true	-1
49	Direction (true) from which the secondary swell waves are coming	$d_{w2} d_{w2}$	0877	degrees true	-1
50	Period of predominant swell waves	$P_{w1} P_{w1}$		s	0
51	Height of predominant swell waves	$H_{w1} H_{w1}$		m	log(2)
52	Period of the secondary swell waves	$P_{w2} P_{w2}$		s	0
53	Height of secondary swell waves	$H_{w2} H_{w2}$		m	log(2)
54	Ice accretion on ships	$I_s$	1751		
55	Thickness of ice accretion on ships in centimeters	$E_s E_s$		m	2
56	Rate of ice accretion on ships	$R_s$	3551		
57	Icing plain language				
58	Height of waves, obtained by instrumental methods	$H_{wa} H_{wa} H_{wa}$		m	1
59	Indicator for the sign and type of measurement of sea surface temperature	$S_w$	3855		
60	Wet-bulb temperature	$T_b T_b T_b$		C	1
61	Concentration or arrangement of sea ice	$c_i$	0639		
62	Stage of development	$S_i$	3739		
63	Ice of land origin	$b_i$	0439		
64	Bearing of principal ice edge	$D_i$	0739		
65	Present ice situation and trend of conditions over preceding three hours	$z_i$	5239		
66	Sea ice plain language				
67	Sign of maximum air temperature	$s_n$	3845		
68	Maximum air temperature	$T_x T_x T_x$		C	1
69	Sign of minimum air temperature	$s_n$	3845		
70	Minimum air temperature	$T_n T_n T_n$		C	1
71	Amount of individual cloud layer or mass whose genus is indicated by C	$N_s$	2700		
72	Genus of cloud	$C$	0500		
73	Height of base of cloud layer or mass whose genus is indicated by C	$h_s h_s$	1677		

74	Supplementary information	S <sub>p</sub> S <sub>p</sub> S <sub>p</sub> S <sub>p</sub>	3778		
75	Total amount of precipitation during the 24-hour period ending at the time of observation, in tenths of a millimetre	R <sub>24</sub> R <sub>24</sub> R <sub>24</sub> R <sub>24</sub>		m	4
76	Highest gust during the 10-minute period immediately preceding the observation	F <sub>m</sub> F <sub>m</sub>		m/s	0
77	Highest gust during the period covered by W <sub>1</sub> W <sub>2</sub>	F <sub>x</sub> F <sub>x</sub>		m/s	0

This may be reported under the 9 group -SpSpSpSp (see table 3778 910ff )

This may be reported under the 9 group -SpSpSpSp (see table 3778 911ff )

**Additional elements for VOSClim**

78	Ship's heading; the direction to which the bow of the ship is pointing referenced to True North	HDG		degrees true	0
79	Ship's ground course; the direction that the vessel actually moves over the fixed globe referenced to True North	COG		degrees true	0
80	Ship's ground speed; the speed of the vessel over the fixed earth	SOG		knots	0
81	Maximum height of the deck cargo above the Summer load line	SLL		m	0

82	Sign of hh	s <sub>L</sub>			
83	Departure of reference level (Summer load line) from actual sea level. Positive when Summer load line is above sea level and negative if below the water line	hh			

84	Relative wind direction in degrees off the bow	RWD		degrees	0
85	Relative wind speed reported in units indicated by iw	RWS		from iw	0

**Additional requirements for the VOS**

86	Height of the barometer above the Summer load line (fixed)			m	
87	Height of the anemometer (if fitted) above the Summer load line (fixed)			m	
88	Height of the temperature sensor/screen above the Summer load line (fixed)			m	
89	Depth of the sea temperature sensor below the Summer load line (fixed)			m	
90	Depth of the keel below the Summer load line (fixed)			m	
91	Average draught at the time of the observation (variable)			m	

**Note use 90 + 91 (all known values) instead of 82 + 83 to derive heights and depths**

---

## APPENDIX F

**BUFR TEMPLATE FOR SYNOPTIC REPORTS FROM SEA STATIONS  
SUITABLE FOR VOS OBSERVATION DATA**

**B/C10 –Reporting SHIP data in TDCF***(details at**<http://www.wmo.int/web/www/WMOCodes/MigrationTDCF/MANUALTEMPLATES.html>)***TM 308009 - BUFR template for synoptic reports from sea stations suitable for SHIP data**

<b>3 08 009</b>		<b>Sequence for representation of synoptic reports from a sea station suitable for SHIP data</b>
	3 01 093	Ship identification, movement, date/time, horizontal and vertical coordinates
	3 02 001	Pressure data
	3 02 054	SHIP “instantaneous” data
	0 08 002	Vertical significance
	3 02 055	Icing and ice
	3 02 057	SHIP marine data
	3 02 060	SHIP “period” data

This BUFR template for synoptic reports from sea stations further expands as follows:

<b>3 01 093</b>			<b>Ship identification, movement, date/time, horizontal and vertical coordinates</b>	Unit, scale
	3 01 036	0 01 011	Ship or mobile land station identifier <b>D...D</b>	CCITT IA5, 0
		0 01 012	Direction of motion of moving observing platform <sup>(3)</sup> <b>D<sub>s</sub></b>	Degree true, 0
		0 01 013	Speed of motion of moving observing platform <sup>(4)</sup> <b>v<sub>s</sub></b>	m s <sup>-1</sup> , 0
		0 02 001	Type of station (i <sub>x</sub> )	Code table, 0
		0 04 001	Year	Year, 0
		0 04 002	Month	Month, 0
		0 04 003	Day <b>YY</b>	Day, 0
		0 04 004	Hour <b>GG</b>	Hour, 0
		0 04 005	Minute <b>gg</b>	Minute, 0
		0 05 002	Latitude (coarse accuracy) <b>L<sub>a</sub>L<sub>a</sub>L<sub>a</sub></b>	Degree, 2
		0 06 002	Longitude (coarse accuracy) <b>L<sub>o</sub>L<sub>o</sub>L<sub>o</sub></b>	Degree, 2
	0 07 030		Height of station platform above mean sea level	m, 1
	0 07 031		Height of barometer above mean sea level	m, 1
			<b>Pressure data</b>	
<b>3 02 001</b>	0 10 004		Pressure <b>P<sub>0</sub>P<sub>0</sub>P<sub>0</sub>P<sub>0</sub></b>	Pa, -1
	0 10 051		Pressure reduced to mean sea level <b>PPPP</b>	Pa, -1
	0 10 061		3-hour pressure change <b>ppp</b>	Pa, -1
	0 10 063		Characteristic of pressure tendency <b>a</b>	Code table, 0
<b>3 02 054</b>			<b>SHIP “instantaneous” data</b>	
			<b>Temperature and humidity data</b>	
	3 02 052	0 07 032	Height of sensor above marine deck platform	m, 2

			(for temperature and humidity measurement)	
		0 07 033	Height of sensor above water surface (for temperature and humidity measurement)	m, 1
		0 12 101	Temperature/dry-bulb temperature (sc.2) $s_n T_{TT}$	K, 2
		0 02 039	Method of wet-bulb temperature measurement	Code table, 0
		0 12 102	Wet-bulb temperature (scale 2) $s_w T_b T_b T_b$	K, 2
		0 12 103	Dew-point temperature (scale 2) $s_n T_d T_d T_d$	K, 2
		0 13 003	Relative humidity	%, 0

			<b>Visibility data</b>	
	<b>3 02 053</b>	<b>0 07 032</b>	Height of sensor above marine deck platform (for visibility measurement)	m, 2
		0 07 033	Height of sensor above water surface (for visibility measurement)	m, 1
		0 20 001	Horizontal visibility $VV$	m, -1
	0 07 033		Height of sensor above water surface (set to missing to cancel the previous value)	m, 1
			<b>Precipitation past 24 hours</b>	
	3 02 034	0 07 032	Height of sensor above marine deck platform (for precipitation measurement)	m, 2
		0 13 023	Total precipitation past 24 hours $R_{24} R_{24} R_{24} R_{24}$	kg m <sup>-2</sup> , 1
	0 07 032		Height of sensor above marine deck platform (set to missing to cancel the previous value)	m, 2
			<b>Cloud data</b>	
	3 02 004	0 20 010	Cloud cover (total) $N$	%, 0
		0 08 002	Vertical significance	Code table, 0
		0 20 011	Cloud amount (of low or middle clouds) $N_h$	Code table, 0
		0 20 013	Height of base of cloud $h$	m, -1
		0 20 012	Cloud type (low clouds) $C_L$	Code table, 0
		0 20 012	Cloud type (middle clouds) $C_M$	Code table, 0
		0 20 012	Cloud type (high clouds) $C_H$	Code table, 0
	1 01 000		Delayed replication of 1 descriptor	
	0 31 001		Delayed descriptor replication factor	Numeric, 0
	3 02 005	0 08 002	Vertical significance	Code table, 0
		0 20 011	Cloud amount $N_s$	Code table, 0
		0 20 012	Cloud type $C$	Code table, 0
		0 20 013	Height of base of cloud $h_s h_s$	m, -1
	<b>0 08 002</b>		Vertical significance (set to missing to cancel the previous value)	Code table, 0
			<b>Icing and ice</b>	
	<b>3 02 055</b>	0 20 031	Ice deposit (thickness) $E_s E_s$	m, 2
		0 20 032	Rate of ice accretion $R_s$	Code table, 0
		0 20 033	Cause of ice accretion $I_s$	Flag table, 0
		0 20 034	Sea ice concentration $c_i$	Code table, 0
		0 20 035	Amount and type of ice $b_i$	Code table, 0
		0 20 036	Ice situation $z_i$	Code table, 0
		0 20 037	Ice development $S_i$	Code table, 0
		0 20 038	Bearing of ice edge $D_i$	Degree true, 0
	<b>3 02 057</b>		<b>SHIP marine data</b>	
		3 02 056	Sea surface temperature, method of	

			measurement, and depth below sea surface	
		0 02 038	Method of sea/water temperature measurement	Code table, 0
		0 07 063	Depth below sea/water surface (for sea surface temperature measurement)	m, 2
		0 22 043	Sea/water temperature $s_s T_w T_w T_w$	K, 2
		0 07 063	Depth below sea/water surface (set to missing to cancel the previous value)	m, 2
			<b>Waves</b>	
3 02 021		0 22 001	Direction of waves	Degree true
		0 22 011	Period of waves $P_{wa} P_{wa}$	s, 0
		0 22 021	Height of waves $H_{wa} H_{wa}$	m, 1
3 02 024		0 22 002	Direction of wind waves	Degree true, 0
		0 22 012	Period of wind waves $P_w P_w$	s, 0
		0 22 022	Height of wind waves $H_w H_w$	m, 1
		1 01 002	Replicate 1 descriptor 2 times	
		3 02 023	Swell waves (2 systems of swell) $d_{w1} d_{w1}, P_{w1} P_{w1}, H_{w1} H_{w1}$ $d_{w2} d_{w2}, P_{w2} P_{w2},$	
<b>3 02 060</b>			<b>SHIP "period" data</b>	
			<b>Present and past weather</b>	
3 02 038		0 20 003	Present weather $ww$	Code table, 0
		0 04 024	Time period in hours	Hour, 0
		0 20 004	Past weather (1) $W_1$	Code table, 0
		0 20 005	Past weather (2) $W_2$	Code table, 0
			<b>Precipitation measurement</b>	
3 02 040		0 07 032	Height of sensor above marine deck platform (for precipitation measurement)	m, 2
		1 02 002	Replicate next 2 descriptors 2 times	
		0 04 024	Time period in hours $t_R$	Hour, 0
		0 13 011	Total precipitation / total water equivalent of snow	kg m <sup>-2</sup> , 1
			<b>RRR</b>	
			<b>Extreme temperature data</b>	
3 02 058		0 07 032	Height of sensor above marine deck platform (for temperature measurement)	m, 2
		0 07 033	Height of sensor above water surface (for temperature measurement)	m, 1
		0 04 024	Time period or displacement	Hour, 0
		0 04 024	Time period or displacement (see Notes 1 and 2)	Hour, 0
		0 12 111	Maximum temperature (scale 2) at height and over period specified $s_n T_x T_x T_x$	K, 2
		0 04 024	Time period or displacement	Hour, 0
		0 04 024	Time period or displacement (see Note 2)	Hour, 0
		0 12 112	Minimum temperature (scale 2) at height and over period specified $s_n T_n T_n T_n$	K, 2
			<b>Wind data</b>	
3 02 059		0 07 032	Height of sensor above marine deck platform (for wind measurement)	m, 2
		0 07 033	Height of sensor above water surface (for wind measurement)	m, 1
		0 02 002	Type of instrumentation for wind measurement $i_w$	Flag table, 0

		0 08 021	Time significance (= 2 (time averaged))	Code table, 0
		0 04 025	Time period (= - 10 minutes, or number of minutes after a significant change of wind)	Minute, 0
		0 11 001	Wind direction <b>dd</b>	Degree true, 0
		0 11 002	Wind speed <b>ff</b>	m s <sup>-1</sup> , 1
		0 08 021	Time significance (= missing value)	Code table, 0
		1 03 002	Replicate next 3 descriptors 2 times	
		0 04 025	Time period in minutes	Minute, 0
		0 11 043	Maximum wind gust direction	Degree true, 0
		0 11 041	Maximum wind gust speed 910f <sub>m</sub> f <sub>m</sub> , 911f <sub>x</sub> f <sub>x</sub>	m s <sup>-1</sup> , 1

**Notes:**

- 1) Within RA-IV, the maximum temperature at 1200 UTC is reported for the previous calendar day (i.e. the ending time of the period is not equal to the nominal time of the report). To construct the required time range, descriptor 004024 has to be included two times. If the period ends at the nominal time of the report, value of the second 004024 shall be set to 0.
  - 2) Within RA-III, the maximum daytime temperature and the minimum night-time temperature is reported (i.e. the ending time of the period may not be equal to the nominal time of the report). To construct the required time range, descriptor 004024 has to be included two times. If the period ends at the nominal time of the report, value of the second 004024 shall be set to 0.
  - 3) 0 01 012: Means course made good (average course over the ground) during the three hours preceding the time of observation.
  - 4) 0 01 013: Means speed made good (average speed over the ground) during the three hours preceding the time of observation.
  - 5) If "plain language" text is reported within Section 2, this information can be conveyed in BUFR via the use of an appropriate 205YYY field as an extra descriptor following the above basic template.
-

## APPENDIX G

## BUFR TEMPLATE FOR VOS DATA

This template is a modified version of the SHIP observation template. Delayed replications have been used extensively to reduce the volume of an individual message, which is a crucial aspect for transmission from VOS stations. It is proposed to represent this template by a single descriptor **3 08 008** from **Category 8 – Surface report sequences (sea)**.

Sequence descriptor numbers written in blue in this template, have not yet been included in BUFR table D (release November 2005).

**3 08 008** = 3 01 093 + 3 02 062 + 3 02 063

3 01 093			<b>Ship identification, movement, type, date/time, horizontal and vertical coordinates</b>	Unit, scale
	3 01 036	0 01 011	Ship or mobile land station identifier <b>D...D</b>	CCITT IA5, 0
		0 01 012	Direction of motion of moving observing platform <sup>(3)</sup> <b>D<sub>s</sub></b>	Degree true, 0
		0 01 013	Speed of motion of moving observing platform <sup>(4)</sup> <b>v<sub>s</sub></b>	m s <sup>-1</sup> , 0
		0 02 001	Type of station <b>(i<sub>x</sub>)</b>	Code table, 0
		0 04 001	Year	Year, 0
		0 04 002	Month	Month, 0
		0 04 003	Day <b>YY</b>	Day, 0
		0 04 004	Hour <b>GG</b>	Hour, 0
		0 04 005	Minute <b>gg</b>	Minute, 0
		0 05 002	Latitude (coarse accuracy) <b>L<sub>a</sub>L<sub>a</sub>L<sub>a</sub></b>	Degree, 2
		0 06 002	Longitude (coarse accuracy) <b>L<sub>o</sub>L<sub>o</sub>L<sub>o</sub>L<sub>o</sub></b>	Degree, 2
	0 07 030		Height of station platform above mean sea level	m, 1
	0 07 031		Height of barometer above mean sea level	m, 1
3 02 062			<b>SHIP "instantaneous" data from VOS</b>	
			<b>Pressure data</b>	
	3 02 001	0 10 004	Pressure <b>P<sub>0</sub>P<sub>0</sub>P<sub>0</sub>P<sub>0</sub></b>	Pa, -1
		0 10 051	Pressure reduced to mean sea level <b>PPPP</b>	Pa, -1
		0 10 061	3-hour pressure change <b>ppp</b>	Pa, -1
		0 10 063	Characteristic of pressure tendency <b>a</b>	Code table, 0
			<b>Temperature and humidity data</b>	
	3 02 052	0 07 032	Height of sensor above marine deck platform (for temperature measurement)	m, 2
		0 07 033	Height of sensor above water surface (for temperature measurement)	m, 1
		0 12 101	Temperature/dry-bulb temperature(sc.2) <b>s<sub>n</sub>TTT</b>	K, 2
		0 02 039	Method of wet-bulb temperature measurement	Code table, 0
		0 12 102	Wet-bulb temperature (scale 2) <b>s<sub>w</sub>T<sub>b</sub>T<sub>b</sub>T<sub>b</sub></b>	K, 2
		0 12 103	Dew-point temperature (scale 2) <b>s<sub>n</sub>T<sub>d</sub>T<sub>d</sub>T<sub>d</sub></b>	K, 2
		0 13 003	Relative humidity	%, 0
			<b>Visibility data</b>	
	<b>3 02 053</b>	<b>0 07 032</b>	Height of sensor above marine deck platform (for visibility measurement)	m, 2
		0 07 033	Height of sensor above water surface (for visibility measurement)	m, 1
		0 20 001	Horizontal visibility <b>VV</b>	m, -1
	0 07 033		Height of sensor above water surface (set to missing to cancel the previous value)	m, 1
			<b>Precipitation past 24 hours</b>	

	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 034	0 07 032	Height of sensor above marine deck platform (for precipitation measurement)	m, 2
		0 13 023	Total precipitation past 24 hours $R_{24}R_{24}R_{24}R_{24}$	kg m <sup>-2</sup> , 1
	0 07 032		Height of sensor above marine deck platform (set to missing to cancel the previous value)	m, 2
			<b>Cloud data</b>	
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 004	0 20 010	Cloud cover (total) <b>N</b>	%, 0
		0 08 002	Vertical significance	Code table, 0
		0 20 011	Cloud amount (of low or middle clouds) <b>N<sub>h</sub></b>	Code table, 0
		0 20 013	Height of base of cloud <b>h</b>	m, -1
		0 20 012	Cloud type (low clouds C <sub>L</sub> ) <b>C<sub>L</sub></b>	Code table, 0
		0 20 012	Cloud type (middle clouds C <sub>M</sub> ) <b>C<sub>M</sub></b>	Code table, 0
		0 20 012	Cloud type (high clouds C <sub>H</sub> ) <b>C<sub>H</sub></b>	Code table, 0
	1 01 000		Delayed replication of 1 descriptor	
	0 31 001		Delayed descriptor replication factor	Numeric, 0
	3 02 005	0 08 002	Vertical significance	Code table, 0
		0 20 011	Cloud amount (N <sub>s</sub> ) <b>N<sub>s</sub></b>	Code table, 0
		0 20 012	Cloud type (C) <b>C</b>	Code table, 0
		0 20 013	Height of base of cloud (h <sub>s</sub> h <sub>s</sub> ) <b>h<sub>s</sub>h<sub>s</sub></b>	m, -1
	0 08 002		Vertical significance (set to missing to cancel the previous value)	Code table, 0
			<b>Icing and ice</b>	
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 055	0 20 031	Ice deposit (thickness) <b>E<sub>s</sub>E<sub>s</sub></b>	m, 2
		0 20 032	Rate of ice accretion <b>R<sub>s</sub></b>	Code table, 0
		0 20 033	Cause of ice accretion <b>I<sub>s</sub></b>	Flag table, 0
		0 20 034	Sea ice concentration <b>c<sub>i</sub></b>	Code table, 0
		0 20 035	Amount and type of ice <b>b<sub>i</sub></b>	Code table, 0
		0 20 036	Ice situation <b>z<sub>i</sub></b>	Code table, 0
		0 20 037	Ice development <b>S<sub>i</sub></b>	Code table, 0
		0 20 038	Bearing of ice edge <b>D<sub>i</sub></b>	Degree true, 0
			<b>Sea/water temperature</b>	
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 056	0 02 038	Method of sea surface temperature measurement	Code table, 0
		0 22 043	Sea/water temperature <b>s<sub>s</sub>T<sub>w</sub>T<sub>w</sub>T<sub>w</sub></b>	K, 2
			<b>Waves</b>	
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 021	0 22 001	Direction of waves	Degree true, 0
		0 22 011	Period of waves <b>P<sub>wa</sub>P<sub>wa</sub></b>	s, 0
		0 22 021	Height of waves <b>H<sub>wa</sub>H<sub>wa</sub></b>	m, 1
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 024	0 22 002	Direction of wind waves	Degree true, 0
		0 22 012	Period of wind waves <b>P<sub>w</sub>P<sub>w</sub></b>	s, 0
		0 22 022	Height of wind waves <b>H<sub>w</sub>H<sub>w</sub></b>	m, 1
		1 01 002	Replicate 1 descriptor 2 times	
		3 02 023	Swell waves (2 systems of swell)	

			$d_{w1}d_{w1}, P_{w1}P_{w1}, H_{w1}H_{w1}$ $d_{w2}d_{w2}, P_{w2}P_{w2}, H_{w2}H_{w2}$	
3 02 063			<b>SHIP "period" data from VOS</b>	
			<b>Present and past weather</b>	
	3 02 038	0 20 003	Present weather <b>ww</b>	Code table, 0
		0 04 024	Time period in hours	Hour, 0
		0 20 004	Past weather (1) <b>W<sub>1</sub></b>	Code table, 0
		0 20 005	Past weather (2) <b>W<sub>2</sub></b>	Code table, 0
			<b>Precipitation measurement</b>	
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 040	0 07 032	Height of sensor above marine deck platform (for precipitation measurement)	m, 2
		1 02 002	Replicate next 2 descriptors 2 times	
		0 04 024	Time period in hours <b>t<sub>R</sub></b>	Hour, 0
		0 13 011	Total precipitation / total water equivalent of snow <b>RRR</b>	kg m <sup>-2</sup> , 1
			<b>Extreme temperature data</b>	
	1 01 000		Delayed replication of 1 descriptor	
	0 31 000		Short delayed descriptor replication factor	Numeric, 0
	3 02 058	0 07 032	Height of sensor above marine deck platform (for temperature measurement)	m, 2
		0 07 033	Height of sensor above water surface (for temperature measurement)	m, 1
		0 04 024	Time period or displacement	Hour, 0
		0 04 024	Time period or displacement (see Notes 1 and 2)	Hour, 0
		0 12 111	Maximum temperature (scale 2) at height and over period specified <b>s<sub>n</sub>T<sub>x</sub>T<sub>x</sub>T<sub>x</sub></b>	K, 2
		0 04 024	Time period or displacement	Hour, 0
			Time period or displacement (see Note 2)	Hour, 0
		0 12 112	Minimum temperature (scale 2) at height and over period specified <b>s<sub>n</sub>T<sub>n</sub>T<sub>n</sub>T<sub>n</sub></b>	K, 2
			<b>Wind data</b>	
	3 02 064	0 07 032	Height of sensor above marine deck platform (for wind measurement)	m, 2
		0 07 033	Height of sensor above water surface (for wind measurement)	m, 1
		0 02 002	Type of instrumentation for wind measurement <b>i<sub>w</sub></b>	Flag table, 0
		0 08 021	Time significance (= 2 (time averaged))	Code table, 0
		0 04 025	Time period (= - 10 minutes, or number of minutes after a significant change of wind)	Minute, 0
		0 11 001	Wind direction <b>dd</b>	Degree true, 0
		0 11 002	Wind speed <b>ff</b>	m s <sup>-1</sup> , 1
		0 08 021	Time significance (= missing value)	Code table, 0
		1 03 000	Delayed replication of 3 descriptors	
		0 31 001	Delayed descriptor replication factor	Numeric, 0
		0 04 025	Time period in minutes	Minute, 0
		0 11 043	Maximum wind gust direction	Degree true, 0
		0 11 041	Maximum wind gust speed <b>910f<sub>m</sub>f<sub>m</sub>, 911f<sub>x</sub>f<sub>x</sub></b>	m s <sup>-1</sup> , 1

**Notes:**

1) Within RA-IV, the maximum temperature at 1200 UTC is reported for the previous calendar day (i.e. the ending time of the period is not equal to the nominal time of the report). To construct the required time range, descriptor 004024 has to be included two times. If the period ends at the nominal time of the report, value of the second 004024 shall be set to 0.

2) Within RA-III, the maximum day-time temperature and the minimum night-time temperature is reported (i.e. the ending time of the period may not be equal to the nominal time of the report). To construct the required time range, descriptor 004024 has to be included two times. If the period ends at the nominal time of the report, value of the second 004024 shall be set to 0.

3) 0 01 012: Means course made good (average course over the ground) during the three hours preceding the time of observation.

4) 0 01 013: Means speed made good (average speed over the ground) during the three hours preceding the time of observation.

5) If "plain language" text is reported within Section 2, this information can be conveyed in BUFR via the use of an appropriate 205YYY field as an extra descriptor following the above basic template.

---

## APPENDIX H

## BUFR TEMPLATE FOR ASAP DATA

## B/C25 – Reporting TEMP, TEMP SHIP and TEMP MOBIL data in TDCF

(details at <http://www.wmo.int/web/www/WMOCodes/MigrationTDCF/MANUALTEMPLATES.html>)

A BUFR (or CREX) message should be sent when level the 100 hPa is reached. In any case, a BUFR (or CREX) message shall be produced when the sounding is completed containing data from the entire sounding.

**TM 309052 - BUFR template for P, T, U and wind vertical profiles suitable for TEMP, TEMP SHIP and TEMP MOBIL observation data**

3 09 052		Sequence for representation TEMP, TEMP SHIP and TEMP MOBIL observation type data
	3 01 111	Identification of launch site and instrumentation
	3 01 113	Date/time of launch
	3 01 114	Horizontal and vertical coordinates of launch site
	3 02 049	Cloud information reported with vertical soundings
	0 22 043	Sea/water temperature (for ship stations)
	1 01 000	Delayed replication of 1 descriptor
	0 31 002	Extended delayed descriptor replication factor
	3 03 054	Temperature, dew-point and wind data at a pressure level
	1 01 000	Delayed replication of 1 descriptor
	0 31 001	Delayed descriptor replication factor
	3 03 051	Wind shear data at a pressure level

This BUFR template for P, T, U and wind profiles further expands as follows:

3 01 111		<b>Identification of launch site and instrumentation</b>	
	3 01 001	WMO block number	Numeric
		WMO station number	Numeric
	0 01 011	Ship or mobile land station identifier	CCITT IA5
	0 02 011	Radiosonde type	Code table
	0 02 013	Solar and infrared radiation correction	Code table
	0 02 014	Tracking technique/status of system used	Code table
	0 02 003	Type of measuring equipment used	Code table
3 01 113		<b>Date/time of launch</b>	
	0 08 021	Time significance (= 18 (launch time))	Code table
	3 01 011	Year	Year
		Month	Month
		Day	Day
	3 01 013	Hour	Hour
		Minute	Minute
		Second	Second
3 01 114		<b>Horizontal and vertical coordinates of launch site</b>	
	3 01 021	Latitude (high accuracy)	Degree, scale 5
		Longitude (high accuracy)	Degree, scale 5
	0 07 030	Height of station ground above mean sea level	m, scale 1
	0 07 031	Height of barometer above mean sea level	m, scale 1
	0 07 007	Height of release of sonde above mean sea level	m

	0 33 024	Station elevation quality mark (for mobile stations)	Code table
3 02 049		<b>Cloud information reported with vertical soundings</b>	
	0 08 002	Vertical significance	Code table
	0 20 011	Cloud amount (of low or middle clouds $N_h$ )	Code table
	0 20 013	Height of base of cloud (h)	m, scale -1
	0 20 012	Cloud type (low clouds $C_L$ )	Code table
	0 20 012	Cloud type (middle clouds $C_M$ )	Code table
	0 20 012	Cloud type (high clouds $C_H$ )	Code table
	0 08 002	Vertical significance (= missing value)	Code table
0 22 043		Sea/water temperature (for ship stations)	K, scale 2
		<b>Temperature, dew-point and wind data at pressure levels</b>	
1 01 000		Delayed replication of 1 descriptor	
0 31 002		Extended delayed descriptor replication factor	Numeric
3 03 054		<b>Temperature, dew-point and wind data at a pressure level with radiosonde position</b>	
	0 04 086	Long time period or displacement (since launch time)	Second
	0 08 042	Extended vertical sounding significance	Flag table
	0 07 004	Pressure	Pa, scale -1
	0 10 009	Geopotential height	gpm
	0 05 015	Latitude displacement since launch site (high accuracy)	Degree, scale 5
	0 06 015	Longitude displacement since launch site (high accuracy)	Degree, scale 5
	0 12 101	Temperature/dry-bulb temperature (scale 2)	K, scale 2
	0 12 103	Dew-point temperature (scale 2)	K, scale 2
	0 11 001	Wind direction	Degree true
	0 11 002	Wind speed	$m s^{-1}$ , scale 1
		<b>Wind shear data</b>	
1 01 000		Delayed replication of 1 descriptor	
0 31 001		Delayed descriptor replication factor	Numeric
3 03 051		<b>Wind shear data at a pressure level</b>	
	0 04 086	Long time period or displacement (since launch time)	Second
	0 08 042	Extended vertical sounding significance	Flag table
	0 07 004	Pressure	Pa, scale -1
	0 05 015	Latitude displacement since launch site (high accuracy)	Degree, scale 5
	0 06 015	Longitude displacement since launch site (high accuracy)	Degree, scale 5
	0 11 061	Absolute wind shear in 1 km layer below	$m s^{-1}$ , scale 1
	0 11 062	Absolute wind shear in 1 km layer above	$m s^{-1}$ , scale 1

Notes:

- (1) Time of launch 3 01 013 shall be reported with the highest possible accuracy available. If the launch time is not available with second accuracy, the entry for seconds shall be put to zero.
- (2) Long time displacement 0 04 086 represents the time offset from the launch time 3 01 013 (in seconds)
- (3) Latitude displacement 0 05 015 represents the latitude offset from the latitude of the launch site. Longitude displacement 0 06 015 represents the longitude offset from the longitude of the launch site.
- (4) If additional information on sounding instrumentation is required, the sequence <3 09 052> may be supplemented by one or more additional parameters to allow data representation of this information, e.g. Radiosonde serial number (0 01 081).

## APPENDIX I

## BUFR TEMPLATE FOR XBT/XCTD REPORT (SEQUENCE 3 15 004)

Name	Descriptor	Order	Forced value	Forced missing	Name	Comment
XBT/XCTD	001003	1			WMO region	
XBT/XCTD	001020	2			WMO region sub-area	
XBT/XCTD	001005	3			Buoy/platform identifier	
XBT/XCTD	001011	4			Ship call sign	
XBT/XCTD	001019	5			Ship name	
XBT/XCTD	001080	6			Ship line number according to SOOP	
XBT/XCTD	005036	7			Ship transect number according to SOOP	
XBT/XCTD	001036	8			Agency in charge of operating the observing platform	
XBT/XCTD	301011	9			Date	
XBT/XCTD	301012	10			Time	
XBT/XCTD	301021	11			Latitude and longitude (high accuracy)	
XBT/XCTD	007030	12			Height of station above MSL	
XBT/XCTD	002040	13			Method of removing platform direction and speed from current	
XBT/XCTD	022067	14			Instrument type for water temperature profile measurement	
XBT/XCTD	022068	15			Water temperature profile recorder type	
XBT/XCTD	008080	16	0		Qualifier for quality class	Value: 0=global water pressure profile
XBT/XCTD	033050	17			Global GTSPP quality class	For global water pressure profile as qualified above
XBT/XCTD	008080	18	1		Qualifier for quality class	Value: 1=global water temperature profile
XBT/XCTD	033050	19			Global GTSPP quality class	For global water temperature profile as qualified above
XBT/XCTD	008080	20	2		Qualifier for quality class	Value: 2=global water salinity profile
XBT/XCTD	033050	21			Global GTSPP quality class	For global water salinity profile as qualified above
XBT/XCTD	008080	22	3		Qualifier for quality class	Value: 3=global water conductivity profile
XBT/XCTD	033050	23			Global GTSPP quality class	For global water conductivity profile as qualified above
XBT/XCTD	025100	24			XBT/XCTD fall rate equation coefficient a	
XBT/XCTD	025101	25			XBT/XCTD fall rate equation coefficient b	
XBT/XCTD	022063	26			Total depth of water	
XBT/XCTD	302021	27			Waves	
XBT/XCTD	306004	28			Sea temperature and salinity profile	Sequence containing the profile itself
XBT/XCTD	002030	29			Method of current measurement	
XBT/XCTD	306005	30			Time/duration of current measurement, depths/directions/speeds	
XBT/XCTD	007032	31			Height of thermometer above station platform	Here height of thermometer
XBT/XCTD	012101	32			Dry-bulb temperature (scale 2)	
XBT/XCTD	012103	33			Dew-point temperature (scale 2)	
XBT/XCTD	007032	34			Height of anemometer above station platform	Here height of anemometer
XBT/XCTD	011001	35			Wind direction	
XBT/XCTD	011002	36			Wind speed	

**APPENDIX J**

**BUFR TEMPLATE FOR TRACKOB DATA  
(Approved by CBS Ext. 6)**

BUFR template

3 08 010 0 01 011 Ship or mobile land station identifier  
1 13 000 Delayed replication of 13 descriptors  
0 31 001 Delayed descriptor replication factor  
3 01 011 Date  
3 01 012 Time  
3 01 021 Latitude/Longitude (high accuracy)  
0 04 080 Averaging period for following value  
0 22 049 Sea surface temperature  
0 04 080 Averaging period for following value  
0 22 059 Sea surface salinity  
0 04 080 Averaging period for following value  
0 22 005 Direction of sea surface current  
0 02 042 Indicator for sea surface current speed  
0 22 032 Speed of sea surface current  
0 02 042 Indicator for sea surface current speed (cancel)  
0 04 080 Averaging period for following value (cancel)

CREX template

D 08 010 B 01 011 Ship or mobile land station identifier  
R 13 000 Delayed replication of 13 descriptors  
D 01 011 Date  
D 01 012 Time  
D 01 021 Latitude/Longitude (high accuracy)  
B 04 080 Averaging period for following value  
B 22 049 Sea surface temperature  
B 04 080 Averaging period for following value  
B 22 059 Sea surface salinity  
B 04 080 Averaging period for following value  
B 22 005 Direction of sea surface current  
B 02 042 Indicator for sea surface current speed  
B 22 032 Speed of sea surface current  
B 02 042 Indicator for sea surface current speed (cancel)  
B 04 080 Averaging period for following value (cancel)

---

## APPENDIX K

## B/C32 –REPORTING CLIMAT SHIP DATA IN TDCF

(details at

<http://www.wmo.int/web/www/WMOCodes/MigrationTDCF/MANUALTEMPLATES.html>)

TM 308013 - BUFR template for reports of monthly values from an ocean weather station suitable for CLIMAT SHIP data

<b>3 08 013</b>		<b>Sequence for representation of monthly values suitable for CLIMAT SHIP data</b>
	3 08 011	Monthly values from an ocean weather station
	3 08 012	Monthly normals for an ocean weather station

<b>Monthly values from an ocean weather station (data of CLIMAT SHIP Section 1)</b>			
Sequence BUFR descriptor <3 08 011> expands as shown in the leftmost column below.			
		<b>Station identification, date/time, horizontal and vertical coordinates</b>	Unit, scale
0 01 011		Ship's call sign	CCITT IA5, 0
0 02 001		Type of station	Code table, 0
3 01 011	0 04 001	Year <sup>(1)</sup>	Year, 0
	0 04 002	Month <sup>(1)</sup>	Month, 0
	0 04 003	Day (= 1) <sup>(1)</sup>	Day, 0
3 01 012	0 04 004	Hour (= 0) <sup>(1)</sup>	Hour, 0
	0 04 005	Minute (= 0) <sup>(1)</sup>	Minute, 0
3 01 023	0 05 002	Latitude (coarse accuracy) <b>L<sub>a</sub>L<sub>a</sub>L<sub>a</sub></b>	Degree, 2
	0 06 002	Longitude (coarse accuracy) <b>L<sub>o</sub>L<sub>o</sub>L<sub>o</sub>L<sub>o</sub></b>	Degree, 2
0 07 030		Height of station platform above mean sea level	m, 1
0 07 031		Height of barometer above mean sea level	m, 1
		<b>Monthly mean values of pressure, temperature, vapour pressure and sea/water temperature</b>	
<b>0 04 074</b>		<b>Short time displacement (= UTC - LST)<sup>(1)</sup></b>	Hour, 0
0 04 023		Time period (= number of days in the month)	Day, 0
0 08 023		First order statistics (= 4; mean value)	Code table, 0
0 10 051		_____ Pressure reduced to msl <b>PPPP</b>	Pa, -1
0 07 032		Height of sensor above marine deck platform (for temperature measurement) <sup>(3)</sup>	m, 2
0 07 033		Height of sensor above water surface (for temperature measurement) <sup>(3)</sup>	m, 1
0 12 101		_____ Temperature/dry-bulb temperature <b>s<sub>n</sub>TTT</b>	K, 2
0 13 004		_____ Vapour pressure <b>eee</b>	Pa, -1
0 07 032		Height of sensor above marine deck platform (set to missing to cancel the previous value)	m, 2
0 07 033		Height of sensor above water surface (set to missing to cancel the previous value)	m, 1
3 02 056		Sea surface temperature, method of measurement,	

		and depth below sea surface	
	0 02 038	Method of sea/water temperature measurement <sup>(3)</sup>	Code table, 0
	0 07 063	Depth below sea/water surface (for sea surface temperature measurement) <sup>(3)</sup>	m, 2
	0 22 043	Sea/water temperature $\overline{s_n T_w T_w T_w}$	K, 2
	0 07 063	Depth below sea/water surface (set to missing to cancel the previous value)	m, 2
0 08 023		First order statistics (set to missing to cancel the previous value)	Code table, 0
		<b>Monthly precipitation data</b>	
0 04 003		Day (= 1) <sup>(2)</sup>	Day, 0
0 04 004		Hour (= 6) <sup>(2)</sup>	Hour, 0
0 04 023		Time period (= number of days in the month) <sup>(2)</sup>	Day, 0
0 07 032		Height of sensor above marine deck platform <sup>(3)</sup>	m, 2
0 13 060		Total accumulated precipitation $R_1 R_1 R_1 R_1$	kg m <sup>-2</sup> , 1
0 13 051		Frequency group; precipitation $R_d$	Code table, 0
0 04 053		Number of days with precipitation equal to or more than 1 mm $n_r n_r$	Numeric, 0
0 07 032		Height of sensor above marine deck platform (set to missing to cancel the previous value)	m, 2
<b>Monthly normals for an ocean weather station (data of CLIMAT SHIP Section 2)</b> Sequence BUFR descriptor <3 08 012> expands as shown in the leftmost column below.			
		<b>Normals of pressure, temperature, vapour pressure and sea/water temperature</b>	Unit, scale
0 04 001		Year (of beginning of the reference period)	Year, 0
0 04 001		Year (of ending of the reference period)	Year, 0
0 04 002		Month	Month, 0
0 04 003		Day (= 1) <sup>(1)</sup>	Day, 0
0 04 004		Hour (= 0) <sup>(1)</sup>	Hour, 0
<b>0 04 074</b>		<b>Short time displacement (= UTC - LST)<sup>(1)</sup></b>	Hour, 0
0 04 022		Time period (= 1)	Month, 0
0 08 023		First order statistics (= 4; mean value)	Code table, 0
0 10 051		_____ Pressure reduced to msl $PPPP$	Pa, -1
0 07 032		Height of sensor above marine deck platform (for temperature measurement) <sup>(3)</sup>	m, 2
0 07 033		Height of sensor above water surface (for temperature measurement) <sup>(3)</sup>	m, 1
0 12 101		_____ Temperature/dry-bulb temperature $s_n TTT$	K, 2
0 13 004		_____ Vapour pressure $eee$	Pa, -1
0 07 032		Height of sensor above marine deck platform (set to missing to cancel the previous value)	m, 2
0 07 033		Height of sensor above water surface (set to missing to cancel the previous value)	m, 1
3 02 056		Sea surface temperature, method of measurement, and depth below sea surface	
	0 02 038	Method of sea/water temperature measurement <sup>(3)</sup>	Code table, 0

	0 07 063	Depth below sea/water surface (for sea surface temperature measurement) <sup>(3)</sup>	m, 2
	0 22 043	Sea/water temperature $\overline{s_n T_w T_w T_w}$	K, 2
	0 07 063	Depth below sea/water surface (set to missing to cancel the previous value)	m, 2
0 08 023		First order statistics (set to missing to cancel the previous value)	Code table, 0
		<b>Normals of precipitation</b>	
0 04 001		Year (of beginning of the reference period)	Year, 0
0 04 001		Year (of ending of the reference period)	Year, 0
0 04 002		Month	Month, 0
0 04 003		Day (= 1) <sup>(2)</sup>	Day, 0
0 04 004		Hour (= 6) <sup>(2)</sup>	Hour, 0
0 04 022		Time period (= 1)	Month, 0
0 07 032		Height of sensor above marine deck platform (for precipitation measurement) <sup>(3)</sup>	m, 2
0 08 023		First order statistics (= 4; mean value)	Code table, 0
0 13 060		Total accumulated precipitation $R_1 R_1 R_1 R_1$	kg m <sup>-2</sup> , 1
0 04 053		Number of days with precipitation equal to or more than 1 mm $n_r n_r$	Numeric, 0
0 08 023		First order statistics (set to missing to cancel the previous value)	Code table, 0

**Notes:**

- (1) The time identification refers to the beginning of the one-month period. Except for precipitation measurements, the one-month period is recommended to correspond to the local standard time (LST) month [7].
  - (2) In case of precipitation measurements, the one-month period begins at 06 UTC on the first day of the month and ends at 06 UTC on the first day of the following month [5].
  - (3) If the heights/depth of sensors or method of sea/water temperature measurement were changed during the period specified, the value shall be that which existed for the greater part of the period.
-

## APPENDIX L

## B/C35 – REPORTING CLIMAT TEMP AND CLIMAT TEMP SHIP AND DATA IN TDCF

(details at

<http://www.wmo.int/web/www/WMOCodes/MigrationTDCF/MANUALTEMPLATES.html>)

A BUFR (or CREX) message shall contain reports for one specific month only.

**TM 309054 - BUFR template for reports of monthly aerological means suitable for CLIMAT TEMP and CLIMAT TEMP SHIP data**

<b>3 09 054</b>		<b>Sequence for representation CLIMAT TEMP and CLIMAT TEMP SHIP data</b>
-----------------	--	--

Sequence BUFR descriptor &lt;3 09 054&gt; expands as it is shown in the leftmost column below:

		<b>Identification of launch site</b>	Unit, scale
3 01 001	0 01 001	WMO block number	Numeric, 0
	0 01 002	WMO station number	Numeric, 0
0 01 011		Ship's call sign	CCITT IA5, 0
		<b>Date/time<sup>(1)</sup></b>	
3 01 011	0 04 001	Year <sup>(1)</sup>	Year, 0
	0 04 002	Month <sup>(1)</sup>	Month, 0
	0 04 003	Day (= 1) <sup>(1)</sup>	Day, 0
3 01 012	0 04 004	Hour (= 0) <sup>(1)</sup>	Hour, 0
	0 04 005	Minute (= 0) <sup>(1)</sup>	Minute, 0
		<b>Horizontal and vertical coordinates</b>	
3 01 021	0 05 001	Latitude (high accuracy)	Degree, 5
	0 06 001	Longitude (high accuracy)	Degree, 5
0 07 030		Height of station ground above mean sea level	m, 1
0 07 031		Height of barometer above mean sea level	m, 1
0 07 007		Height release of sonde above mean sea level	m, 0
		<b>Monthly mean data</b>	
0 04 023		Time period (= number of days in the month)	Day, 0
0 04 059		Times of observations used to compute the reported mean values	Flag table, 0
1 15 000		Delayed replication of 15 descriptors	
0 31 001		Delayed descriptor replication factor	Numeric, 0
0 08 001		Vertical sounding significance	Flag table, 0
0 08 023		First order statistics (= 4; mean value)	Code table, 0
0 07 004		Pressure	Pa, -1
0 10 009		Geopotential height	gpm, 0
0 12 101		Temperature/dry-bulb temperature	K, 2
0 12 103		Dew-point temperature	K, 2
0 08 023		First order statistics (= 32; vector mean)	Code table, 0
0 11 001		Wind direction	Degree true, 0
0 11 002		Wind speed	m s <sup>-1</sup> , 1
0 08 023		First order statistics (= 63; missing value)	Code table, 0
0 11 019		Steadiness of wind	%, 0
0 08 050		Qualifier for number of missing values in calculation of statistic (= 2; temperature)	Code table, 0
0 08 020		Total number of missing entities (days)	Numeric, 0
0 08 050		Qualifier for number of missing values in calculation of statistic (= 9; wind)	Code table, 0

0 08 020		Total number of missing entities (days)	Numeric, 0
----------	--	---	------------

**Note:**

- (1) The time identification refers to the beginning of the one-month period.

---