




O-B pressure (hPa) for identifier 15964  
Number of obs. plotted = 1192 Number of outliers = 45




O-B pressure (hPa) for identifier 16517  
Number of obs. plotted = 2468 Number of outliers = 8




O-B pressure (hPa) for identifier 16557  
Number of obs. plotted = 2953 Number of outliers = 15




O-B pressure (hPa) for identifier 16558  
Number of obs. plotted = 4073 Number of outliers = 36




O-B pressure (hPa) for identifier 16563  
Number of obs. plotted = 2979 Number of outliers = 0




O-B pressure (hPa) for identifier 17523  
Number of obs. plotted = 4162 Number of outliers = 4



O-B pressure (hPa) for identifier 21528  
Number of obs. plotted = 8268 Number of outliers = 194




O-B pressure (hPa) for identifier 21914  
Number of obs. plotted = 3329 Number of outliers = 8







O-B pressure (hPa) for identifier 21924  
Number of obs. plotted = 2142 Number of outliers = 0




O-B pressure (hPa) for identifier 21959  
Number of obs. plotted = 1714 Number of outliers = 1




O-B pressure (hPa) for identifier 23592  
Number of obs. plotted = 471 Number of outliers = 0




O-B pressure (hPa) for identifier 23593  
Number of obs. plotted = 567 Number of outliers = 0




O-B pressure (hPa) for identifier 23594  
Number of obs. plotted = 2509 Number of outliers = 0




O-B pressure (hPa) for identifier 23596  
Number of obs. plotted = 91    Number of outliers = 0



O-B pressure (hPa) for identifier 23913  
Number of obs. plotted = 449 Number of outliers = 7




O-B pressure (hPa) for identifier 23982  
Number of obs. plotted = 0    Number of outliers = 488







O-B pressure (hPa) for identifier 25522  
Number of obs. plotted = 18 Number of outliers = 54




O-B pressure (hPa) for identifier 25574  
Number of obs. plotted = 40 Number of outliers = 46




O-B pressure (hPa) for identifier 33596  
Number of obs. plotted = 729 Number of outliers = 0




O-B pressure (hPa) for identifier 33598  
Number of obs. plotted = 2398 Number of outliers = 3




O-B pressure (hPa) for identifier 33661  
Number of obs. plotted = 111 Number of outliers = 21




O-B pressure (hPa) for identifier 41037  
Number of obs. plotted = 997 Number of outliers = 0



O-B pressure (hPa) for identifier 41552  
Number of obs. plotted = 1467 Number of outliers = 19




O-B pressure (hPa) for identifier 41671  
Number of obs. plotted = 238 Number of outliers = 2







O-B pressure (hPa) for identifier 41938  
Number of obs. plotted = 2695 Number of outliers = 1




O-B pressure (hPa) for identifier 41940  
Number of obs. plotted = 1827 Number of outliers = 0




O-B pressure (hPa) for identifier 43574  
Number of obs. plotted = 906 Number of outliers = 21




O-B pressure (hPa) for identifier 44615  
Number of obs. plotted = 3692 Number of outliers = 16



O-B pressure (hPa) for identifier 44722  
Number of obs. plotted = 3132 Number of outliers = 2




O-B pressure (hPa) for identifier 44747  
Number of obs. plotted = 1847 Number of outliers = 0






O-B pressure (hPa) for identifier 44768  
Number of obs. plotted = 3263 Number of outliers = 0







O-B pressure (hPa) for identifier 44774  
Number of obs. plotted = 3409 Number of outliers = 43




O-B pressure (hPa) for identifier 46072  
Number of obs. plotted = 2702 Number of outliers = 0




O-B pressure (hPa) for identifier 46516  
Number of obs. plotted = 1135 Number of outliers = 0




O-B pressure (hPa) for identifier 46517  
Number of obs. plotted = 3473 Number of outliers = 26




O-B pressure (hPa) for identifier 46588  
Number of obs. plotted = 104 Number of outliers = 0




O-B pressure (hPa) for identifier 46589  
Number of obs. plotted = 3195 Number of outliers = 6



O-B pressure (hPa) for identifier 48521  
Number of obs. plotted = 16367 Number of outliers = 294




O-B pressure (hPa) for identifier 48624  
Number of obs. plotted = 1283 Number of outliers = 3







O-B pressure (hPa) for identifier 48625  
Number of obs. plotted = 4507 Number of outliers = 865




O-B pressure (hPa) for identifier 51656  
Number of obs. plotted = 2108 Number of outliers = 0




O-B pressure (hPa) for identifier 51965  
Number of obs. plotted = 1635 Number of outliers = 0




O-B pressure (hPa) for identifier 52535  
Number of obs. plotted = 9470 Number of outliers = 26




O-B pressure (hPa) for identifier 52643  
Number of obs. plotted = 10047 Number of outliers = 230




O-B pressure (hPa) for identifier 52649  
Number of obs. plotted = 89 Number of outliers = 49



O-B pressure (hPa) for identifier 54926  
Number of obs. plotted = 871 Number of outliers = 0




O-B pressure (hPa) for identifier 54933  
Number of obs. plotted = 3694 Number of outliers = 755







O-B pressure (hPa) for identifier 55626  
Number of obs. plotted = 4447 Number of outliers = 1




O-B pressure (hPa) for identifier 55936  
Number of obs. plotted = 3638 Number of outliers = 0




O-B pressure (hPa) for identifier 56503  
Number of obs. plotted = 46 Number of outliers = 0




O-B pressure (hPa) for identifier 56535  
Number of obs. plotted = 3613 Number of outliers = 11




O-B pressure (hPa) for identifier 56543  
Number of obs. plotted = 45 Number of outliers = 0




O-B pressure (hPa) for identifier 56548  
Number of obs. plotted = 45 Number of outliers = 0



O-B pressure (hPa) for identifier 56550  
Number of obs. plotted = 46 Number of outliers = 0




O-B pressure (hPa) for identifier 62147  
Number of obs. plotted = 333 Number of outliers = 0







O-B pressure (hPa) for identifier 62202  
Number of obs. plotted = 109 Number of outliers = 0




O-B pressure (hPa) for identifier 63529  
Number of obs. plotted = 10993 Number of outliers = 0




O-B pressure (hPa) for identifier 65581  
Number of obs. plotted = 1529 Number of outliers = 8




O-B pressure (hPa) for identifier 68992  
Number of obs. plotted = 1688 Number of outliers = 0




O-B pressure (hPa) for identifier 71575  
Number of obs. plotted = 199 Number of outliers = 51




O-B pressure (hPa) for identifier 71578  
Number of obs. plotted = 221 Number of outliers = 37



O-B pressure (hPa) for identifier 71636  
Number of obs. plotted = 776 Number of outliers = 138




O-B pressure (hPa) for identifier 73650  
Number of obs. plotted = 1223 Number of outliers = 0







O-B pressure (hPa) for identifier 74533  
Number of obs. plotted = 47 Number of outliers = 0




O-B pressure (hPa) for identifier 74541  
Number of obs. plotted = 35 Number of outliers = 30




O-B pressure (hPa) for identifier 74543  
Number of obs. plotted = 2654 Number of outliers = 100




O-B pressure (hPa) for identifier 74544  
Number of obs. plotted = 3877 Number of outliers = 687




O-B pressure (hPa) for identifier 74545  
Number of obs. plotted = 489 Number of outliers = 5




O-B pressure (hPa) for identifier A8DE3  
Number of obs. plotted = 136 Number of outliers = 1



O-B pressure (hPa) for identifier A8GU7  
Number of obs. plotted = 300 Number of outliers = 1




O-B pressure (hPa) for identifier A8HJ4  
Number of obs. plotted = 63 Number of outliers = 0







O-B pressure (hPa) for identifier AUBD  
Number of obs. plotted = 43 Number of outliers = 0




O-B pressure (hPa) for identifier AUBE  
Number of obs. plotted = 43 Number of outliers = 1




O-B pressure (hPa) for identifier AUF1  
Number of obs. plotted = 78 Number of outliers = 0




O-B pressure (hPa) for identifier C6FM8  
Number of obs. plotted = 66 Number of outliers = 0




O-B pressure (hPa) for identifier C6FV3  
Number of obs. plotted = 107 Number of outliers = 0




O-B pressure (hPa) for identifier C6FZ6  
Number of obs. plotted = 152 Number of outliers = 0



O-B pressure (hPa) for identifier C6LG6  
Number of obs. plotted = 73 Number of outliers = 0




O-B pressure (hPa) for identifier C6LU4  
Number of obs. plotted = 129 Number of outliers = 3







O-B pressure (hPa) for identifier C6PZ3  
Number of obs. plotted = 146 Number of outliers = 0




O-B pressure (hPa) for identifier CGDS  
Number of obs. plotted = 452 Number of outliers = 14




O-B pressure (hPa) for identifier CYBJ  
Number of obs. plotted = 41 Number of outliers = 2




O-B pressure (hPa) for identifier D5XH  
Number of obs. plotted = 58 Number of outliers = 0




O-B pressure (hPa) for identifier DDSK  
Number of obs. plotted = 45 Number of outliers = 0




O-B pressure (hPa) for identifier DEDM  
Number of obs. plotted = 121 Number of outliers = 1



O-B pressure (hPa) for identifier DLCX  
Number of obs. plotted = 76 Number of outliers = 0




O-B pressure (hPa) for identifier HPYE  
Number of obs. plotted = 62 Number of outliers = 0







O-B pressure (hPa) for identifier KMJL  
Number of obs. plotted = 62 Number of outliers = 0




O-B pressure (hPa) for identifier KS049  
Number of obs. plotted = 1294 Number of outliers = 0




O-B pressure (hPa) for identifier MINFR04  
Number of obs. plotted = 1631 Number of outliers = 15




O-B pressure (hPa) for identifier MLTH5  
Number of obs. plotted = 48 Number of outliers = 0




O-B pressure (hPa) for identifier OSTF  
Number of obs. plotted = 115 Number of outliers = 0




O-B pressure (hPa) for identifier OWWS2  
Number of obs. plotted = 47 Number of outliers = 0



O-B pressure (hPa) for identifier P3NL5  
Number of obs. plotted = 123 Number of outliers = 0




O-B pressure (hPa) for identifier PBJF  
Number of obs. plotted = 291 Number of outliers = 10







O-B pressure (hPa) for identifier PGCY  
Number of obs. plotted = 44 Number of outliers = 0




O-B pressure (hPa) for identifier SWJC  
Number of obs. plotted = 46 Number of outliers = 0




O-B pressure (hPa) for identifier TEST  
Number of obs. plotted = 2    Number of outliers = 221




O-B pressure (hPa) for identifier TESTCA5  
Number of obs. plotted = 589 Number of outliers = 0




O-B pressure (hPa) for identifier TESTCA7  
Number of obs. plotted = 510 Number of outliers = 0




O-B pressure (hPa) for identifier TESTFR  
Number of obs. plotted = 66    Number of outliers = 0



O-B pressure (hPa) for identifier UAMX  
Number of obs. plotted = 88 Number of outliers = 3




O-B pressure (hPa) for identifier UANF  
Number of obs. plotted = 56 Number of outliers = 0







O-B pressure (hPa) for identifier UCFT  
Number of obs. plotted = 215    Number of outliers = 2




O-B pressure (hPa) for identifier UCJL  
Number of obs. plotted = 111 Number of outliers = 0




O-B pressure (hPa) for identifier UCKA  
Number of obs. plotted = 88 Number of outliers = 3




O-B pressure (hPa) for identifier UCUO  
Number of obs. plotted = 120 Number of outliers = 9




O-B pressure (hPa) for identifier UCUQ  
 Number of obs. plotted = 95    Number of outliers = 7




O-B pressure (hPa) for identifier UDDN  
Number of obs. plotted = 137    Number of outliers = 0



O-B pressure (hPa) for identifier UFJN  
Number of obs. plotted = 114 Number of outliers = 2




O-B pressure (hPa) for identifier UGNQ  
Number of obs. plotted = 354 Number of outliers = 0







O-B pressure (hPa) for identifier UGOU  
Number of obs. plotted = 211 Number of outliers = 1




O-B pressure (hPa) for identifier UICO  
Number of obs. plotted = 172 Number of outliers = 13




O-B pressure (hPa) for identifier UIFL  
Number of obs. plotted = 45 Number of outliers = 9




O-B pressure (hPa) for identifier UIFV  
Number of obs. plotted = 58 Number of outliers = 0




O-B pressure (hPa) for identifier V2AW5  
Number of obs. plotted = 94 Number of outliers = 0




O-B pressure (hPa) for identifier V2BN9  
Number of obs. plotted = 156 Number of outliers = 2



O-B pressure (hPa) for identifier V2IA1  
Number of obs. plotted = 186 Number of outliers = 1




O-B pressure (hPa) for identifier V2OB8  
Number of obs. plotted = 121 Number of outliers = 0







O-B pressure (hPa) for identifier V7BX3  
Number of obs. plotted = 133 Number of outliers = 0




O-B pressure (hPa) for identifier V7FN7  
Number of obs. plotted = 49 Number of outliers = 1




O-B pressure (hPa) for identifier V7FW7  
 Number of obs. plotted = 136 Number of outliers = 2




O-B pressure (hPa) for identifier VRZK9  
Number of obs. plotted = 94 Number of outliers = 1




O-B pressure (hPa) for identifier VTXK  
Number of obs. plotted = 241 Number of outliers = 1




O-B pressure (hPa) for identifier VVMA  
Number of obs. plotted = 37 Number of outliers = 10



O-B pressure (hPa) for identifier WCY7052  
Number of obs. plotted = 127 Number of outliers = 0




O-B pressure (hPa) for identifier WDB9918  
Number of obs. plotted = 177 Number of outliers = 0







O-B pressure (hPa) for identifier WDB9986  
Number of obs. plotted = 105 Number of outliers = 3




O-B pressure (hPa) for identifier WMLG  
Number of obs. plotted = 118 Number of outliers = 0



O-B pressure (hPa) for identifier WRTF  
Number of obs. plotted = 54 Number of outliers = 0



O-B pressure (hPa) for identifier YJZJ5  
Number of obs. plotted = 87 Number of outliers = 0



O-B pressure (hPa) for identifier ZCDJ5  
Number of obs. plotted = 64 Number of outliers = 0

