




O-B pressure (hPa) for identifier 16937
Number of obs. plotted = 210 Number of outliers = 13




O-B pressure (hPa) for identifier 17658
Number of obs. plotted = 2264 Number of outliers = 443




O-B pressure (hPa) for identifier 17662
Number of obs. plotted = 1302 Number of outliers = 7




O-B pressure (hPa) for identifier 17667
Number of obs. plotted = 1572 Number of outliers = 291




O-B pressure (hPa) for identifier 21543
Number of obs. plotted = 600 Number of outliers = 0




O-B pressure (hPa) for identifier 21548
Number of obs. plotted = 1209 Number of outliers = 0




O-B pressure (hPa) for identifier 21940
Number of obs. plotted = 132 Number of outliers = 0




O-B pressure (hPa) for identifier 21963
Number of obs. plotted = 640 Number of outliers = 5




O-B pressure (hPa) for identifier 23591
Number of obs. plotted = 49 Number of outliers = 3




O-B pressure (hPa) for identifier 23598
Number of obs. plotted = 813 Number of outliers = 0




O-B pressure (hPa) for identifier 23600
Number of obs. plotted = 803 Number of outliers = 0




O-B pressure (hPa) for identifier 23602
Number of obs. plotted = 710 Number of outliers = 0




O-B pressure (hPa) for identifier 23912
Number of obs. plotted = 521 Number of outliers = 0




O-B pressure (hPa) for identifier 23931
Number of obs. plotted = 3063 Number of outliers = 0




O-B pressure (hPa) for identifier 31509
Number of obs. plotted = 1098 Number of outliers = 0




O-B pressure (hPa) for identifier 33600
Number of obs. plotted = 3283 Number of outliers = 0




O-B pressure (hPa) for identifier 33652
Number of obs. plotted = 3594 Number of outliers = 0




O-B pressure (hPa) for identifier 33654
Number of obs. plotted = 519 Number of outliers = 25




O-B pressure (hPa) for identifier 42549
Number of obs. plotted = 151 Number of outliers = 0




O-B pressure (hPa) for identifier 42550
Number of obs. plotted = 77 Number of outliers = 1




O-B pressure (hPa) for identifier 48528
Number of obs. plotted = 4113 Number of outliers = 906




O-B pressure (hPa) for identifier 48530
Number of obs. plotted = 476 Number of outliers = 32




O-B pressure (hPa) for identifier 48628
Number of obs. plotted = 2247 Number of outliers = 849




O-B pressure (hPa) for identifier 54546
Number of obs. plotted = 204 Number of outliers = 144




O-B pressure (hPa) for identifier 56532
Number of obs. plotted = 245 Number of outliers = 0




O-B pressure (hPa) for identifier 63527
Number of obs. plotted = 230 Number of outliers = 15




O-B pressure (hPa) for identifier 71547
Number of obs. plotted = 280 Number of outliers = 1




O-B pressure (hPa) for identifier 71647
Number of obs. plotted = 103 Number of outliers = 42




O-B pressure (hPa) for identifier 9MBW7
Number of obs. plotted = 79 Number of outliers = 2




O-B pressure (hPa) for identifier 9VDD2
Number of obs. plotted = 310 Number of outliers = 0




O-B pressure (hPa) for identifier A8CB7
Number of obs. plotted = 170 Number of outliers = 1




O-B pressure (hPa) for identifier A8GQ8
Number of obs. plotted = 107 Number of outliers = 0




O-B pressure (hPa) for identifier A8IU6
Number of obs. plotted = 67 Number of outliers = 0




O-B pressure (hPa) for identifier A8JI3
Number of obs. plotted = 99 Number of outliers = 0




O-B pressure (hPa) for identifier A8KD9
Number of obs. plotted = 71 Number of outliers = 0




O-B pressure (hPa) for identifier A8LO9
Number of obs. plotted = 91 Number of outliers = 1




O-B pressure (hPa) for identifier A8MY4
Number of obs. plotted = 88 Number of outliers = 0




O-B pressure (hPa) for identifier AUBC
Number of obs. plotted = 128 Number of outliers = 0




O-B pressure (hPa) for identifier AUBD
Number of obs. plotted = 82 Number of outliers = 0




O-B pressure (hPa) for identifier C6CL6
Number of obs. plotted = 224 Number of outliers = 1




O-B pressure (hPa) for identifier C6FM8
Number of obs. plotted = 114 Number of outliers = 0




O-B pressure (hPa) for identifier C6FP2
Number of obs. plotted = 119 Number of outliers = 0




O-B pressure (hPa) for identifier C6FP5
Number of obs. plotted = 42 Number of outliers = 0




O-B pressure (hPa) for identifier C6FU7
Number of obs. plotted = 267 Number of outliers = 0




O-B pressure (hPa) for identifier C6JZ7
Number of obs. plotted = 54 Number of outliers = 0




O-B pressure (hPa) for identifier C6PZ3
Number of obs. plotted = 219 Number of outliers = 0




O-B pressure (hPa) for identifier C6SE8
Number of obs. plotted = 91 Number of outliers = 0




O-B pressure (hPa) for identifier C6SJ5
Number of obs. plotted = 59 Number of outliers = 5




O-B pressure (hPa) for identifier C6TL7
Number of obs. plotted = 91 Number of outliers = 0




O-B pressure (hPa) for identifier C6TX6
Number of obs. plotted = 370 Number of outliers = 1




O-B pressure (hPa) for identifier C6UC3
Number of obs. plotted = 228 Number of outliers = 0




O-B pressure (hPa) for identifier C6UZ6
Number of obs. plotted = 117 Number of outliers = 0




O-B pressure (hPa) for identifier C6VG7
Number of obs. plotted = 167 Number of outliers = 1




O-B pressure (hPa) for identifier C6VG8
Number of obs. plotted = 258 Number of outliers = 2




O-B pressure (hPa) for identifier CFN4292
Number of obs. plotted = 50 Number of outliers = 1




O-B pressure (hPa) for identifier DARU
Number of obs. plotted = 69 Number of outliers = 0




O-B pressure (hPa) for identifier DBUT
Number of obs. plotted = 40 Number of outliers = 0




O-B pressure (hPa) for identifier DDRE2
Number of obs. plotted = 137 Number of outliers = 0




O-B pressure (hPa) for identifier DDSK
Number of obs. plotted = 133 Number of outliers = 0




O-B pressure (hPa) for identifier DDZN2
Number of obs. plotted = 205 Number of outliers = 1




O-B pressure (hPa) for identifier DEAZ
Number of obs. plotted = 118 Number of outliers = 0




O-B pressure (hPa) for identifier DEDM
Number of obs. plotted = 40 Number of outliers = 0




O-B pressure (hPa) for identifier DGSE
Number of obs. plotted = 143 Number of outliers = 0




O-B pressure (hPa) for identifier DPSD
Number of obs. plotted = 120 Number of outliers = 0




O-B pressure (hPa) for identifier ELTY4
Number of obs. plotted = 57 Number of outliers = 0




O-B pressure (hPa) for identifier ELVZ7
Number of obs. plotted = 69 Number of outliers = 0




O-B pressure (hPa) for identifier HPYE
Number of obs. plotted = 47 Number of outliers = 0




O-B pressure (hPa) for identifier HRRF
Number of obs. plotted = 585 Number of outliers = 0




O-B pressure (hPa) for identifier J8PE3
Number of obs. plotted = 115 Number of outliers = 0




O-B pressure (hPa) for identifier J8PR3
Number of obs. plotted = 47 Number of outliers = 2




O-B pressure (hPa) for identifier KMJL
Number of obs. plotted = 60 Number of outliers = 0




O-B pressure (hPa) for identifier KS000
Number of obs. plotted = 66 Number of outliers = 10




O-B pressure (hPa) for identifier KS049
Number of obs. plotted = 987 Number of outliers = 0




O-B pressure (hPa) for identifier MLFV3
Number of obs. plotted = 58 Number of outliers = 0




O-B pressure (hPa) for identifier ONEH
Number of obs. plotted = 60 Number of outliers = 0




O-B pressure (hPa) for identifier OWTW2
Number of obs. plotted = 73 Number of outliers = 0




O-B pressure (hPa) for identifier P3NB5
Number of obs. plotted = 59 Number of outliers = 0




O-B pressure (hPa) for identifier PBGH
Number of obs. plotted = 608 Number of outliers = 2




O-B pressure (hPa) for identifier S6JP
Number of obs. plotted = 63 Number of outliers = 0




O-B pressure (hPa) for identifier SYAQ
Number of obs. plotted = 106 Number of outliers = 0




O-B pressure (hPa) for identifier TESTCA7
Number of obs. plotted = 1043 Number of outliers = 2




O-B pressure (hPa) for identifier TESTFR
Number of obs. plotted = 92 Number of outliers = 0




O-B pressure (hPa) for identifier UANA
Number of obs. plotted = 73 Number of outliers = 0




O-B pressure (hPa) for identifier UCJL
Number of obs. plotted = 78 Number of outliers = 0




O-B pressure (hPa) for identifier UCKB
Number of obs. plotted = 88 Number of outliers = 2




O-B pressure (hPa) for identifier UCTS
Number of obs. plotted = 357 Number of outliers = 12




O-B pressure (hPa) for identifier UCUO
Number of obs. plotted = 88 Number of outliers = 0




O-B pressure (hPa) for identifier UDYG
Number of obs. plotted = 30 Number of outliers = 82




O-B pressure (hPa) for identifier UFJN
Number of obs. plotted = 318 Number of outliers = 0




O-B pressure (hPa) for identifier UGJA
Number of obs. plotted = 83 Number of outliers = 22




O-B pressure (hPa) for identifier UGOU
Number of obs. plotted = 76 Number of outliers = 4




O-B pressure (hPa) for identifier UGTP
Number of obs. plotted = 42 Number of outliers = 0




O-B pressure (hPa) for identifier UHWM
Number of obs. plotted = 80 Number of outliers = 1




O-B pressure (hPa) for identifier UIAH
Number of obs. plotted = 108 Number of outliers = 16




O-B pressure (hPa) for identifier UICO
Number of obs. plotted = 176 Number of outliers = 3




O-B pressure (hPa) for identifier UIFL
Number of obs. plotted = 167 Number of outliers = 1




O-B pressure (hPa) for identifier UTR
Number of obs. plotted = 285 Number of outliers = 3




O-B pressure (hPa) for identifier V2AW5
Number of obs. plotted = 97 Number of outliers = 11




O-B pressure (hPa) for identifier V2OB8
Number of obs. plotted = 137 Number of outliers = 0




O-B pressure (hPa) for identifier V7BW6
Number of obs. plotted = 70 Number of outliers = 0




O-B pressure (hPa) for identifier V7BW7
Number of obs. plotted = 116 Number of outliers = 0




O-B pressure (hPa) for identifier V7BW8
Number of obs. plotted = 75 Number of outliers = 0




O-B pressure (hPa) for identifier V7DI8
Number of obs. plotted = 250 Number of outliers = 0




O-B pressure (hPa) for identifier V7HD3
Number of obs. plotted = 117 Number of outliers = 0




O-B pressure (hPa) for identifier VRBN8
Number of obs. plotted = 67 Number of outliers = 0




O-B pressure (hPa) for identifier VRBU6
Number of obs. plotted = 251 Number of outliers = 0




O-B pressure (hPa) for identifier VRCQ2
Number of obs. plotted = 60 Number of outliers = 9




O-B pressure (hPa) for identifier VRVZ2
Number of obs. plotted = 110 Number of outliers = 0




O-B pressure (hPa) for identifier VRYP3
Number of obs. plotted = 63 Number of outliers = 0




O-B pressure (hPa) for identifier VRZT8
Number of obs. plotted = 67 Number of outliers = 0




O-B pressure (hPa) for identifier VTXK
Number of obs. plotted = 125 Number of outliers = 0




O-B pressure (hPa) for identifier VVML
Number of obs. plotted = 85 Number of outliers = 1




O-B pressure (hPa) for identifier WADZ
Number of obs. plotted = 249 Number of outliers = 0




O-B pressure (hPa) for identifier WAM7635
Number of obs. plotted = 188 Number of outliers = 3




O-B pressure (hPa) for identifier WCX7445
Number of obs. plotted = 2629 Number of outliers = 44




O-B pressure (hPa) for identifier WDD6039
Number of obs. plotted = 191 Number of outliers = 0




O-B pressure (hPa) for identifier WDD7117
Number of obs. plotted = 83 Number of outliers = 0




O-B pressure (hPa) for identifier WNBE
Number of obs. plotted = 313 Number of outliers = 0



O-B pressure (hPa) for identifier WRTF
Number of obs. plotted = 183 Number of outliers = 0



O-B pressure (hPa) for identifier ZCDJ5
Number of obs. plotted = 58 Number of outliers = 0



O-B pressure (hPa) for identifier ZCDV2
Number of obs. plotted = 76 Number of outliers = 0

