




O-B pressure (hPa) for identifier 16529
Number of obs. plotted = 3347 Number of outliers = 444




O-B pressure (hPa) for identifier 16597
Number of obs. plotted = 34 Number of outliers = 2364




O-B pressure (hPa) for identifier 16598
Number of obs. plotted = 1312 Number of outliers = 0




O-B pressure (hPa) for identifier 17178
Number of obs. plotted = 1442 Number of outliers = 0




O-B pressure (hPa) for identifier 17672
Number of obs. plotted = 171 Number of outliers = 0




O-B pressure (hPa) for identifier 17678
Number of obs. plotted = 46 Number of outliers = 0




O-B pressure (hPa) for identifier 21536
Number of obs. plotted = 539 Number of outliers = 277




O-B pressure (hPa) for identifier 22533
Number of obs. plotted = 10 Number of outliers = 408




O-B pressure (hPa) for identifier 22537
Number of obs. plotted = 1 Number of outliers = 192




O-B pressure (hPa) for identifier 23451
Number of obs. plotted = 1536 Number of outliers = 0




O-B pressure (hPa) for identifier 23493
Number of obs. plotted = 387 Number of outliers = 0




O-B pressure (hPa) for identifier 23596
Number of obs. plotted = 2294 Number of outliers = 0




O-B pressure (hPa) for identifier 23598
Number of obs. plotted = 1673 Number of outliers = 1




O-B pressure (hPa) for identifier 23599
Number of obs. plotted = 823 Number of outliers = 3




O-B pressure (hPa) for identifier 23602
Number of obs. plotted = 414 Number of outliers = 0




O-B pressure (hPa) for identifier 31737
Number of obs. plotted = 1531 Number of outliers = 2




O-B pressure (hPa) for identifier 33674
Number of obs. plotted = 3703 Number of outliers = 98




O-B pressure (hPa) for identifier 33691
Number of obs. plotted = 87 Number of outliers = 0




O-B pressure (hPa) for identifier 33952
Number of obs. plotted = 88 Number of outliers = 0




O-B pressure (hPa) for identifier 42550
Number of obs. plotted = 700 Number of outliers = 5




O-B pressure (hPa) for identifier 44755
Number of obs. plotted = 1183 Number of outliers = 1




O-B pressure (hPa) for identifier 46636
Number of obs. plotted = 170 Number of outliers = 0




O-B pressure (hPa) for identifier 48559
Number of obs. plotted = 293 Number of outliers = 154




O-B pressure (hPa) for identifier 48660
Number of obs. plotted = 632 Number of outliers = 53




O-B pressure (hPa) for identifier 48685
Number of obs. plotted = 883 Number of outliers = 1117




O-B pressure (hPa) for identifier 55568
Number of obs. plotted = 417 Number of outliers = 83




O-B pressure (hPa) for identifier 55616
Number of obs. plotted = 330 Number of outliers = 307




O-B pressure (hPa) for identifier 56551
Number of obs. plotted = 683 Number of outliers = 191




O-B pressure (hPa) for identifier 63982
Number of obs. plotted = 45 Number of outliers = 0




O-B pressure (hPa) for identifier 71630
Number of obs. plotted = 545 Number of outliers = 87




O-B pressure (hPa) for identifier 71641
Number of obs. plotted = 902 Number of outliers = 127




O-B pressure (hPa) for identifier 74541
Number of obs. plotted = 178 Number of outliers = 72




O-B pressure (hPa) for identifier 7854
Number of obs. plotted = 81 Number of outliers = 7




O-B pressure (hPa) for identifier 8PPK
Number of obs. plotted = 361 Number of outliers = 32




O-B pressure (hPa) for identifier 9MCR4
Number of obs. plotted = 162 Number of outliers = 2




O-B pressure (hPa) for identifier 9VAK8
Number of obs. plotted = 184 Number of outliers = 1




O-B pressure (hPa) for identifier 9VAK9
Number of obs. plotted = 125 Number of outliers = 1




O-B pressure (hPa) for identifier A8AH6
Number of obs. plotted = 53 Number of outliers = 1




O-B pressure (hPa) for identifier A8DG7
Number of obs. plotted = 118 Number of outliers = 0




O-B pressure (hPa) for identifier A8HA7
Number of obs. plotted = 41 Number of outliers = 0




O-B pressure (hPa) for identifier A8IT6
Number of obs. plotted = 89 Number of outliers = 5




O-B pressure (hPa) for identifier A8IU7
Number of obs. plotted = 153 Number of outliers = 0




O-B pressure (hPa) for identifier A8JR5
Number of obs. plotted = 163 Number of outliers = 0




O-B pressure (hPa) for identifier A8JS5
Number of obs. plotted = 136 Number of outliers = 0




O-B pressure (hPa) for identifier A8JV7
Number of obs. plotted = 99 Number of outliers = 0




O-B pressure (hPa) for identifier A8LO9
Number of obs. plotted = 47 Number of outliers = 0




O-B pressure (hPa) for identifier A8NO6
Number of obs. plotted = 132 Number of outliers = 0




O-B pressure (hPa) for identifier ATSJ
Number of obs. plotted = 162 Number of outliers = 1




O-B pressure (hPa) for identifier AUBD
Number of obs. plotted = 81 Number of outliers = 4




O-B pressure (hPa) for identifier AUF1
Number of obs. plotted = 45 Number of outliers = 1




O-B pressure (hPa) for identifier AVOSTEST
Number of obs. plotted = 884 Number of outliers = 0




O-B pressure (hPa) for identifier C6FY5
Number of obs. plotted = 123 Number of outliers = 0




O-B pressure (hPa) for identifier C6SE8
Number of obs. plotted = 98 Number of outliers = 0




O-B pressure (hPa) for identifier C6TX6
Number of obs. plotted = 133 Number of outliers = 0




O-B pressure (hPa) for identifier C6VF3
Number of obs. plotted = 47 Number of outliers = 0




O-B pressure (hPa) for identifier C6VF4
Number of obs. plotted = 68 Number of outliers = 2




O-B pressure (hPa) for identifier C6VG7
Number of obs. plotted = 197 Number of outliers = 0




O-B pressure (hPa) for identifier C6YW
Number of obs. plotted = 53 Number of outliers = 0




O-B pressure (hPa) for identifier CG2960
Number of obs. plotted = 605 Number of outliers = 0




O-B pressure (hPa) for identifier DARU
Number of obs. plotted = 75 Number of outliers = 0




O-B pressure (hPa) for identifier DBUT
Number of obs. plotted = 171 Number of outliers = 0




O-B pressure (hPa) for identifier DCAY2
Number of obs. plotted = 40 Number of outliers = 0




O-B pressure (hPa) for identifier DDID2
Number of obs. plotted = 98 Number of outliers = 0




O-B pressure (hPa) for identifier DDSK
Number of obs. plotted = 46 Number of outliers = 0




O-B pressure (hPa) for identifier ELTY9
Number of obs. plotted = 75 Number of outliers = 0




O-B pressure (hPa) for identifier ELZA9
Number of obs. plotted = 69 Number of outliers = 1




O-B pressure (hPa) for identifier HPV
Number of obs. plotted = 182 Number of outliers = 2




O-B pressure (hPa) for identifier HPYE
Number of obs. plotted = 231 Number of outliers = 0




O-B pressure (hPa) for identifier HRRF
Number of obs. plotted = 248 Number of outliers = 0




O-B pressure (hPa) for identifier HZZD
Number of obs. plotted = 60 Number of outliers = 0




O-B pressure (hPa) for identifier IBHD
Number of obs. plotted = 93 Number of outliers = 12




O-B pressure (hPa) for identifier J8PE3
Number of obs. plotted = 110 Number of outliers = 0




O-B pressure (hPa) for identifier KS052
Number of obs. plotted = 183 Number of outliers = 0




O-B pressure (hPa) for identifier KS059
Number of obs. plotted = 73 Number of outliers = 18




O-B pressure (hPa) for identifier KS062
Number of obs. plotted = 183 Number of outliers = 0




O-B pressure (hPa) for identifier KS081
Number of obs. plotted = 115 Number of outliers = 74




O-B pressure (hPa) for identifier LAOW5
Number of obs. plotted = 59 Number of outliers = 0




O-B pressure (hPa) for identifier MGDM
Number of obs. plotted = 116 Number of outliers = 0




O-B pressure (hPa) for identifier MQYA3
Number of obs. plotted = 82 Number of outliers = 0




O-B pressure (hPa) for identifier MSDM7
Number of obs. plotted = 57 Number of outliers = 0




O-B pressure (hPa) for identifier NWS0010
Number of obs. plotted = 787 Number of outliers = 62




O-B pressure (hPa) for identifier NWS0016
Number of obs. plotted = 169 Number of outliers = 5




O-B pressure (hPa) for identifier ONAN
Number of obs. plotted = 80 Number of outliers = 0




O-B pressure (hPa) for identifier ONCA
Number of obs. plotted = 110 Number of outliers = 0




O-B pressure (hPa) for identifier ONCF
Number of obs. plotted = 167 Number of outliers = 10




O-B pressure (hPa) for identifier ONCV
Number of obs. plotted = 106 Number of outliers = 1




O-B pressure (hPa) for identifier ONEV
Number of obs. plotted = 61 Number of outliers = 1




O-B pressure (hPa) for identifier OUOW2
Number of obs. plotted = 103 Number of outliers = 0




O-B pressure (hPa) for identifier OUQK2
Number of obs. plotted = 45 Number of outliers = 2




O-B pressure (hPa) for identifier OVYQ2
Number of obs. plotted = 227 Number of outliers = 0




O-B pressure (hPa) for identifier P3NJ5
Number of obs. plotted = 95 Number of outliers = 0




O-B pressure (hPa) for identifier S6JQ
Number of obs. plotted = 167 Number of outliers = 2




O-B pressure (hPa) for identifier S6JS
Number of obs. plotted = 82 Number of outliers = 5




O-B pressure (hPa) for identifier TBWUK30
Number of obs. plotted = 51 Number of outliers = 0




O-B pressure (hPa) for identifier UACU
Number of obs. plotted = 91 Number of outliers = 3




O-B pressure (hPa) for identifier UBHE9
Number of obs. plotted = 188 Number of outliers = 0




O-B pressure (hPa) for identifier UCKB
Number of obs. plotted = 50 Number of outliers = 2




O-B pressure (hPa) for identifier UCUF
Number of obs. plotted = 189 Number of outliers = 2




O-B pressure (hPa) for identifier UDYN
Number of obs. plotted = 150 Number of outliers = 3




O-B pressure (hPa) for identifier UFJN
Number of obs. plotted = 235 Number of outliers = 0




O-B pressure (hPa) for identifier UGJA
Number of obs. plotted = 74 Number of outliers = 9




O-B pressure (hPa) for identifier UGWJ
Number of obs. plotted = 180 Number of outliers = 3




O-B pressure (hPa) for identifier UHFV
Number of obs. plotted = 58 Number of outliers = 1




O-B pressure (hPa) for identifier UHWM
Number of obs. plotted = 62 Number of outliers = 0




O-B pressure (hPa) for identifier UINM
Number of obs. plotted = 43 Number of outliers = 0




O-B pressure (hPa) for identifier UITR
Number of obs. plotted = 109 Number of outliers = 7




O-B pressure (hPa) for identifier V2BR5
Number of obs. plotted = 115 Number of outliers = 0




O-B pressure (hPa) for identifier V7BW6
Number of obs. plotted = 122 Number of outliers = 0




O-B pressure (hPa) for identifier V7BW8
Number of obs. plotted = 210 Number of outliers = 0




O-B pressure (hPa) for identifier V7D18
Number of obs. plotted = 135 Number of outliers = 0




O-B pressure (hPa) for identifier V7HD3
Number of obs. plotted = 55 Number of outliers = 0




O-B pressure (hPa) for identifier V7HP2
Number of obs. plotted = 237 Number of outliers = 0




O-B pressure (hPa) for identifier VRBH6
Number of obs. plotted = 81 Number of outliers = 0




O-B pressure (hPa) for identifier VRCQ2
Number of obs. plotted = 84 Number of outliers = 0




O-B pressure (hPa) for identifier VVCZ
Number of obs. plotted = 97 Number of outliers = 1




O-B pressure (hPa) for identifier VVFI
Number of obs. plotted = 90 Number of outliers = 0




O-B pressure (hPa) for identifier WBHU
Number of obs. plotted = 179 Number of outliers = 0




O-B pressure (hPa) for identifier WDD4207
Number of obs. plotted = 184 Number of outliers = 3



O-B pressure (hPa) for identifier WED2281
Number of obs. plotted = 69 Number of outliers = 0



O-B pressure (hPa) for identifier ZCDJ5
Number of obs. plotted = 75 Number of outliers = 0



O-B pressure (hPa) for identifier ZCDY2
Number of obs. plotted = 67 Number of outliers = 0

