




**Figure 1: Number of observations of pressure received at Exeter on the GTS for each of the six-month periods covered by the WMO reports on the quality of marine surface observations**




**Figure 2a: Distribution of ship O-B pressure (hPa)**  
**Period of data: JAN-JUN 2009 Data used: All observations**




**Figure 2b: Distribution of ship O-B pressure (hPa)**  
**Period of data: JAN-JUN 2009 Data used: Flagged observations**




**Figure 2c: Distribution of ship O-B pressure (hPa)**  
**Period of data: JAN-JUN 2009 Data used: Unflagged observations**




**Figure 2d: Distribution of ship O-B wind speed ( $\text{ms}^{-1}$ )**  
 Period of data: JAN-JUN 2009 Data used: All observations




**Figure 2e: Distribution of ship O-B wind speed ( $\text{ms}^{-1}$ )**  
 Period of data: JAN-JUN 2009 Data used: Flagged observations




**Figure 2f: Distribution of ship O-B wind speed ( $\text{ms}^{-1}$ )**  
 Period of data: JAN-JUN 2009 Data used: Unflagged observations




**Figure 2g: Distribution of ship O-B wind direction (degrees)**  
**Period of data: JAN-JUN 2009 Data used: All observations**




**Figure 2h: Distribution of ship O-B wind direction (degrees)**  
**Period of data: JAN-JUN 2009 Data used: Flagged observations**




**Figure 2i: Distribution of ship O-B wind direction (degrees)**  
**Period of data: JAN-JUN 2009 Data used: Unflagged observations**




**Figure 2j: Distribution of ship O-B SST ( $^{\circ}\text{C}$ )**  
**Period of data: JAN-JUN 2009 Data used: All observations**



**Figure 2k: Distribution of ship O-B SST ( $^{\circ}\text{C}$ )**  
**Period of data: JAN-JUN 2009 Data used: Flagged observations**



**Figure 2l: Distribution of ship O-B SST ( $^{\circ}\text{C}$ )**  
**Period of data: JAN-JUN 2009 Data used: Unflagged observations**






**Figure 3: Bias of Ship O-B Pressure (hPa). Date:- January - June 2009**

**Only observations passing quality control used in statistics**

**Contours drawn to 10 degree boxes, if the number of observations is greater than 10**

**Shaded areas have a bias of magnitude greater than 1.0 hPa**




**Figure 4: Standard Deviation of Ship O-B Pressure (hPa). Date:- January - June 2009**


**Only Observations passing quality control used in statistics**

**Contours drawn to 10 degree boxes, if the number of observations is greater than 10**


**Shaded areas have a standard deviation of greater than 2.0 hPa**



**Figure 5:**  
**Plot of the Number of Ship Pressure Observations. Date:- January - June 2009**  
**Only observations passing quality control included**



**Figure 6: Bias of Ship O-B Wind Speed ( $\text{ms}^{-1}$ ). Date:- January - June 2009**  
Only observations passing quality control used in statistics  
Contours drawn to 10 degree boxes, if the number of observations is greater than 10  
Shaded areas have a bias of magnitude greater than  $2.0 \text{ ms}^{-1}$




**Figure 7: Standard Deviation of Ship O-B Wind Speed (ms<sup>-1</sup>). Date:- January - June 2009**

**Only Observations passing quality control used in statistics**

**Contours drawn to 10 degree boxes, if the number of observations is greater than 10**


**Shaded areas have a standard deviation of greater than 4.0 ms<sup>-1</sup>**



**Figure 8:**

**Plot of the Number of Ship Wind Speed Observations. Date:- January - June 2009**

**Only observations passing quality control included**




**Figure 9: Bias of Ship O-B Wind Direction (degrees). Date:- January - June 2009**

Only observations passing quality control used in statistics

Contours drawn to 10 degree boxes, if the number of observations is greater than 10

Shaded areas have a bias of magnitude greater than 10 degrees




**Figure 10: Standard Deviation of Ship O-B Wind Direction (degrees). Date:- January - June 2009**

**Only Observations passing quality control used in statistics**

**Contours drawn to 10 degree boxes, if the number of observations is greater than 10**


**Shaded areas have a standard deviation of greater than 40 degrees**




**Figure 11:**

**Plot of the Number of Ship Wind Direction Observations. Date:- January - June 2009**

**Only observations passing quality control included**



**Figure 12: Bias of Ship O-B SST (degrees C). Date:- January - June 2009**  
Only observations passing quality control used in statistics  
Contours drawn to 10 degree boxes, if the number of observations is greater than 10  
Shaded areas have a bias of magnitude greater than 1.0 degree C




**Figure 13: Standard Deviation of Ship O-B SST (degrees C). Date:- January - June 2009**

**Only Observations passing quality control used in statistics**

**Contours drawn to 10 degree boxes, if the number of observations is greater than 10**

**Shaded areas have a standard deviation of greater than 2.0 degrees C**



**Figure 14:**  
**Plot of the Number of Ship SST Observations. Date:- January - June 2009**  
**Only observations passing quality control included**

