

RTH/RSMC Offenbach (DWD) status report for 2015

Executive Summary

Primary activities in the year 2015 consisted of the quarterly IAEA/RTH/RSMC tests including several CONVEX exercises conducted for different scenarios and accident countries and of the monthly communication tests with the IAEA. In the framework of the CTBTO/WMO commitment, a significant number of backtracking calculations were performed on request for level-5-events and the procedures were adapted to the new CTBTO servers. Incremental updates and improvements were made to the DWD's dispersion model software, and to the response procedures. Also the model code was prepared to the new global NWP model ICON, which replaced the GME model in January 2015. A new dispersion model named COSMO-ART resp. ICON-ART will be presented.

1. Introduction

The RTH Offenbach is one of the 18 major Regional Telecommunication Hubs within the Main Telecommunication Network (MTN) of the Global Telecommunication System (GTS). Offenbach is also one of the currently 15 Global Information Centres (GISC) of the WMO Information System (WIS). RTH Offenbach is the operational counterpart of the Incident and Emergency Centre (IEC) of the IAEA with respect to the distribution of the notification of an accident and additional information. In the framework of the IAEA Convention on Early Notification and Assistance RTH Offenbach has to make sure that the NHMSs are informed as fast as possible of a nuclear accident. Additionally, in the context of the CTBTO/WMO backtracking arrangements Offenbach is one of the WMO-RSMCs for atmospheric dispersion modelling/backtracking. A new comprehensive dispersion model COSMO-/ICON-ART is in development and its main features are outlined in this report.

2. Operational Contact Information

RTH/RSMC Offenbach
Deutscher Wetterdienst (DWD)
P. O. Box 10 04 65
D-63004 Offenbach a.M.
Germany

Official contact: Dr. Jochen Dibbern
Tel : + 49 69 8062 2824
Fax : + 49 69 8062 3829
Email : jochen.dibbern@dwd.de

Business contact: Dr. Hubert Glaab
Tel : + 49 69 8062 2747
Fax : + 49 69 8062 3271
Email : hubert.glaab@dwd.de

Operational contact (24 hours): Shift supervisor
Tel : + 49 69 8062 2530
Fax : + 49 69 8062 2880
Email : mss.operator@dwd.de

3. Standing operational procedures

According to the regional and global arrangements for the provision of transport model products in the case of a nuclear environmental emergency, the RTH Offenbach is in charge of the global dissemination of emergency messages.

In the framework of the Convention on Early Notification of nuclear accidents, the IAEA informs the WMO Secretariat and the RTH Offenbach (Germany) of the status of the emergency. If needed, the IAEA will request support from the WMO RSMCs. Beginning with a site area emergency, RTH Offenbach will disseminate the EMERCON message on the GTS in the form of an alphanumeric bulletin in plain-text English language under the abbreviated heading WNXX01 IAEA for global distribution to the NMCs and RSMCs. The messages are not destined to the general public and should not be accessible on the public internet. (See also the WMO Manual on the Global Telecommunications System, WMO Publication-No. 386).

When the IAEA no longer requires WMO RSMC support, the IAEA will send an EMERCON termination message to the RSMCs, WMO Secretariat and RTH Offenbach. RTH Offenbach will also disseminate the EMERCON termination message on the GTS under the heading WNXX01 IAEA for global distribution.

Therefore, in case of an accident occurrence and/or whether emergency meteorological support is required. RTH Offenbach will

- (a) receive a message from IAEA (email/fax/USIE website),
- (b) verify its content by a phone call to the IEC of the IAEA,
- (c) put the EMERCON message on the GTS in the form of an alphanumeric bulletin in plain-text English language under the abbreviated heading WNXX01 IAEA for global distribution to the NMCs and RSMCs,
- (d) check that the Lead-RSMCs have received the same information (email/fax),
- (e) forward the email (fax) with the notification or additional information to the Lead-RSMCs if they did not get it directly from the IAEA.

4. Programme of exercises - Regular tests

The communication between IAEA and RTH Offenbach is tested every month. According to the actual valid procedures the tests are performed each third Thursday (since 2016 third Tuesday) a month except from one unannounced test per year. Once every quarter RSMCs and the delivery (but not the distribution) of products are included. The GTS link can be tested at every quarterly exercise. Additionally, GTS messages are distributed in the framework of full scale tests like ConvEx-3 exercises.

5. Evaluation of exercises

In 2015 communication test between IAEA and RTH Offenbach were conducted on a regular basis.

In this period the standard exercises (and also several CONVEX tests via USIE web site) were performed, using the email (fax) and phone contacts between IAEA and RTH Offenbach. Since 2014 monthly tests consist of email communication and USIE web site information on default.

Additionally, every third month a quarterly exercise was conducted to test the communication procedures and contacts between IAEA, RSMCs and RTH Offenbach. In these exercises accident scenarios in different WMO regions were chosen and only the corresponding Lead RSMCs had to respond according to the distributed messages. The GTS link was utilized during these exercises.

The monthly and quarterly communication exercises were performed without any deviations or only minor ones (see list below) from the agreed procedures.

Some deviations are listed here:

- missing email/fax messages
- incorrect subject information: (e.g. “communication test” instead of “quarterly exercise”)
- missing exercise termination message
- multiple copies of WNXX01 IAEA messages on GTS/WIS

6. Lessons learned from experience

The regular monthly communication exercises are helpful to keep the procedure in mind and to test the handling of the information. But they are very simple and no significant problems are expected to show up except perhaps short disruption of the web system or similar technical problems.

It is therefore not surprising that the major problems or deviations from the agreed procedures only happened during the quarterly tests because they were the only tests with several steps in predefined accident scenarios which also include the distribution of GTS messages.

The problem with multiple copies of GTS/WIS messages was investigated. Following a proposal of WMO experts the text of the IAEA message will be strictly adapted the IAT2 rules in future.

The WNXX01 IAEA emergency messages are meant to inform the WMO, NHMSs and RSMCs. They are not destined to the general public. Therefore the dissemination conditions were modified that the messages should not be accessible on the public internet.

Regarding the distribution of alarm messages the confirmation checks done by RTH Offenbach are very useful and necessary activities. They are important backup features in the emergency response communication context.

7. RTH Offenbach Backup Procedures

The German Weather Service (DWD) plans to establish backup procedures for institutions connected to RTH Offenbach. The standard backup procedure would be that all IAEA data sent to RTH Offenbach for further dissemination are sent in parallel (active backup) to a Backup RTH. It

is intended to choose RTH Vienna for the Backup RTH. They will then take over the data dissemination in case of an outage of RTH Offenbach.

8. Participation in the WMO/CTBTO inverse dispersion modeling calculations

WMO and the Provisional Technical Secretariat (PTS) of the Comprehensive Test Ban Treaty Organization (CTBTO) cooperate according to adopted arrangements for the provision of inverse dispersion modeling by the WMO designated Centres to CTBTO. At present 10 WMO Centres (RSMCs) are active participants in these backtracking calculations. The 10 WMO Centres are asked to provide if requested inverse dispersion modeling as far back as 7 weeks and for up to 36 stations and to upload (to the CTBTO web-site) their results within 24 to 96 hours of receiving the request. RSMC Offenbach was successful in meeting these requirements. CTBTO then combines the results in various ways to generate ensemble products.

Beginning with September 2008, which was the official start of the operational phase of the CTBTO/WMO system, until autumn 2015, more than 150 backtracking calculations were performed from RSMC Offenbach on request for level-5-events. In the context of the Fukushima radioactive releases about 90 backtracking request were received since March 2011 (2014: 14 requests, 2015: 6). Additionally, in 2014 upload procedures were modified and tested for the new operational upload server addresses. Since March 2015 the calculations are based on the ICON model. In the context of a National Data Centre Preparedness Exercise (NPE15) supporting backtracking calculation were also performed in 2015.

9. Status of the DWD's operational atmospheric transport and dispersion model (WMO/CTBTO)

As a part of the German radioactive emergency systems IMIS/RODOS a Lagrangian Particle Dispersion Model (LPDM) is applied at the DWD. The LPDM calculates trajectories of a multitude of particles emitted from a point source using the grid-scale winds and turbulence parameters of the NWP-models and a time scale based Markov-chain formulation for the dispersion process. Concentrations are determined by counting the number and mass of particles in a freely eligible grid. Dry deposition parameterisation follows a deposition velocity concept and wet deposition is evaluated using isotope-specific scavenging coefficients. Also included is radioactive decay, a vertical mixing scheme for deep convection processes and optionally particle-size depending sedimentation coefficients. The LPDM was successfully validated using data of the ANATEX and ETEX tracer experiments.

The dispersion model is driven by the DWD's weather forecast models (ICON, GME, COSMO-EU/COSMO-DE). In case of emergency the model output will be transmitted to the national 'Integrated Measurement and Information System' (IMIS) for the surveillance of radioactivity in the environment and the real-time decision system RODOS in Germany. Additionally, the LPDM was utilized for the EU-activity "ENSEMBLE" (participants: weather services in Europe and North America), which combines the forecast of different emergency dispersion models to a multi-model ensemble.

The model is also a member of the multi-model backtracking ensemble of the CTBTO (Comprehensive Nuclear-Test-Ban Treaty Organization). The code is optimised for MPP computers (e.g. CRAY-XC 40, NEC-SX8/SX9, IBM P5 575) utilising MPI-based parallelisation features. The model is also implemented at MeteoSwiss based on the Swiss COSMO-version.

The NWP modelling suite of DWD consists of three models, namely the global icosahedral-hexagonal nonhydrostatic grid point model **ICON** (13 km, 90 layers), which replaced the GME (grid spacing 20 km, 60 layers) in January 2015, the non-hydrostatic regional **COSMO-EU** (COSMO model Europe, grid spacing 7 km, 665 x 657 grid points/layer, 40 layers), and finally the convection permitting **COSMO-DE**, covering Germany and its surroundings with a grid spacing of 2.8 km, 421 x 461 grid points/layer and 50 layers.

Independent 4-dimensional data assimilation suites are performed for all three NWP models, ICON, COSMO-EU and COSMO-DE. For ICON, analyses are derived for the eight analysis times 00, 03, 06, 09, 12, 15, 18 and 21 UTC based on an ensemble data assimilation combined with a three-dimensional variational data assimilation scheme. For COSMO-EU and COSMO-DE, a continuous data assimilation system based on the nudging approach provides analyses at hourly intervals. Analyses and forecasts are currently run on a CRAY-XC 40.

During the release phase of the Fukushima accident (March/April 2011) the DWD provided dispersion forecasts for the public mainly based on GME data. Additionally, the COSMO model (7 km grid spacing) was set up and run in an operational mode for the relevant region covering Japan and its surroundings.

In the last two years incremental updates and improvements were made to the DWD's dispersion model software, and to the response procedures (e.g. for GRIB2, preparations for the new DWD global model "ICON"). It is planned to replace the limited area model COSMO-EU by an ICON-EU nest model in 2016.

10. Status of the DWD's research atmospheric transport and dispersion models (COSMO-ART and ICON-ART)

The **COSMO-ART** system, where ART stands for 'Aerosols and Reactive Trace gases', is an extension of the operational COSMO model. The complete set of ART modules developed at the Institute for Meteorology and Climate Research at the Karlsruhe Institute of Technology (KIT) is online coupled in a tightly integrated way to the COSMO model. I.e. the same routines for transport and diffusion of the gas phase and aerosol tracers are used as for the prognostic moisture quantities in NWP. The possible applications of COSMO-ART range from simple tracer dispersion problems to complete aerosol-radiation and aerosol-cloud interaction studies including the formation of secondary aerosol particles from the gas phase.

At DWD the model system is mainly employed for the dispersion modelling of volcanic ash and mineral dust.

In case of a volcanic eruption with relevance for the German air space COSMO-ART is run on an enlarged domain, the model results are made available on the NinJo workstations of and used by the aviation forecasters as a secondary source of information. To parameterise the emission of volcanic ash an empirical relation between observed plume height and mass eruption rate is used. To get to quantitative results for the mass concentration of volcanic ash in the atmosphere, aircraft measurements of the particle size distribution and number concentration are used. At the University of Hohenheim a LIDAR forward operator is developed. This operator will ease the comparison of

model results and observations of the ceilometer network of DWD and is a prerequisite for the data assimilation of such measurements.

Different institutions use COSMO-ART to run forecasts of mineral dust. For example the United Arabian Emirates have set up daily model runs in their operational cycle.

The strong Saharan dust event beginning of April 2014 is currently investigated in a joint effort of DWD and KIT. Runs including the aerosol-radiation interaction of the simulated dust showed a significant reduction of the short-wave radiation at the surface. This for example had a big impact on the power produced by solar energy. Further studies will also include the aerosol-cloud interaction parts.

Following the explanation of COSMO-ART in the previous section the **ICON-ART** system is the likewise extension of ICON (developed at the Deutscher Wetterdienst DWD and the Max-Planck-Institute of Meteorology Hamburg). ICON-ART is currently under development at the IMK of KIT and the DWD, aiming at the complete functionality mentioned above. New developments for the ART modules will actually first be implemented with ICON before to be taken over also for COSMO. At DWD the model will be employed for dispersion modelling of volcanic ash, mineral dust and radionuclides.

Nearly completely implemented are the modules for volcanic ash, radionuclides, sea salt and mineral dust. These modules will be ready when ICON becomes operational at DWD. The ART modules have been restructured at KIT to streamline further expansions and developments using the object oriented capabilities of FORTRAN 2003. For example it is planned to introduce the treatment of volcanic ash also in the 2-moment cloud-microphysics framework, i.e. to use prognostic equations for the 0th and 3rd moment and different modes to represent the particle size distribution.

The (internally mixed) aerosol modes for the interaction with the gas phase chemistry will be implemented. For a flexible configuration of the gas phase chemistry the Kinetic Pre-processor KPP will be used. Aerosol-radiation and aerosol-cloud feedback processes will be implemented, where the later is realized in combination with the 2-moment cloud-microphysics scheme which is now also available in ICON.

References:

Glaab H. et al. (1998), Evaluation of the emergency dispersion model at the Deutscher Wetterdienst using ETEX data. *Atmospheric Environment* 32, 4359-4366

H. Glaab, B. Fay., I. Jacobsen and A. Klein (2006), Emergency Dispersion Models at the Deutscher Wetterdienst - Model Evaluation using Ensemble Techniques - Proc. of the 9th ANS Emergency Preparedness and Response Meeting, pp. 181-187, Salt Lake City, 2006

Majewski, D., 1998: The new icosahedral-hexagonal global grid point model GME of the Deutscher Wetterdienst. ECMWF Seminar "Numerical Methods in Atmospheric Models", Sept. 1998.

Majewski, D., D. Liermann, P. Prohl, B. Ritter, M. Buchhold, T. Hanisch, G. Paul, W. Wergen and J. Baumgardner, 2002: The operational global icosahedral-hexagonal grid point model GME: Description and high resolution tests. *Mon. Wea. Rev.*, 130, 319338

11. **Plans for 2016:**

- The schedule of tests (monthly, quarterly and others) has been set up and defined in cooperation with the IAEA.

- Continuation of the participation on WMO/CTBTO backward ensemble calculations.
- Further adaptations to the global NWP model "ICON"..
- For regional applications the limited area NWP model COSMO-EU will be replaced by a regional limited area version of ICON.